




Matrix Orbital LK204-7T-1U-USB-GW 20x4 LCD - Black Bay w/ 7-Keys & 3 Status LED - Grey

Special Price
\$62.97 was
\$104.95

Product Images



Short Description

This part number includes all that you need for a PC Bay Insert. The display is our LK204-7T-1U-USB-GW which is a 20 by 4 USB character LCD with a 7 key tactile keypad and 3 status indicating LEDs. This unit fits into a 1U opening. It also comes with the B19264-BK (Black) mounting bracket and 3ft A to B Mini USB.

Description

This part number includes all that you need for a PC Bay Insert. The display is our LK204-7T-1U-USB-GW which is a 20 by 4 USB character LCD with a 7 key tactile keypad and 3 status indicating LEDs. This unit fits into a 1U opening. It also comes with the B19264-BK (Black) mounting bracket and 3ft A to B Mini USB.

Features

Includes Black 5.25 inch Mounting Bay and hardware:

Attractive and durable coated rust-resistant steel mounting bracket with mounting screws and washers.

Includes 3' Standard mini A to B USB communication cable.

Optional: Internal Mini A to USB 5-Row. This cable can be used with any display that features a Mini USB header and connect to a 4/5 pin internal motherboard USB header

*Matrix Orbital provides all manuals on line at our Tech Support site at <http://www.matrixorbital.ca/manuals/> and questions may be posted on our forum site at <http://www.lcdforums.com/forums>

Specifications

Display Appearance										
Character X Lines		Module Size			Character Size					
		Length	Width	Thickness	Length	Width				
20	x	4	140.20 <i>m</i>	x	38.00 <i>m</i>	x	29.00 <i>m</i>	5.20 <i>mm</i>	x	3.90 <i>mm</i>
Display Size			Background Color			Text Color				
Length		Width								
82.00 <i>mm</i>	x	28.40 <i>mm</i>	Grey/White			Grey				
Features										
Keypad		One Wire		GPO						
7		N/A		6						
Interface										
USB		Buffer		Other						
19200		128								
33600										
56700										
Environmental Conditions										
Standard Temp.		Extended Temp (-E)		Max Humidity						
Min		Max		Min		Max				
0.00°C	to	50.00°C	-20.00°C	to	70.00°C	90.00 %				

Power Requirements

Supply Current

90 mA

Backlight Current

140 mA

Inrush Current

N/A

Additional Information

Brand	Matrix Orbital
SKU	BLK204-7T-1U-BK-USB-GW-D
Weight	3.0000
Color	Black
Device Type	Multi-purpose
Bay Size	5.25" Bay
Special Price	\$62.97

