



Sunbeam 20 in 1 Superior Panel - Silver

Special Price
\$16.25 was
\$32.50

Product Images




Short Description

The Sunbeam Technology Superior Panel is a product like no other on the market. It combines a 10-in-1 media card reader with a seven-feature I/O Panel, a two-channel controller and an LCD screen with temperature and fan speed. While that's a lot of stuff to cram into a 5.25" bay, Sunbeam does it well and keeps everything organized.

Description

The Sunbeam Technology Superior Panel is a product like no other on the market. It combines a 10-in-1 media card reader with a seven-feature I/O Panel, a two-channel controller and an LCD screen with temperature and fan speed. While that's a lot of stuff to cram into a 5.25" bay, Sunbeam does it well and keeps everything organized.

The features on the panel are almost too many to mention; Hi-Speed USB 2.0 Ports, All 4 memory-slots are active which enable user to transfer data between the different memory cards in the different slots, Supports CF type I/II, Micro drive, MS, MS PRO, MS DUO PRO, MS DUO, SD, MMC, SM, up to 480Mbps/sec transferring Speed, USB 2.0, IEEE 1394, Audio (line-out, line-in, Mic), Video Out 1 and SATA 2 interface, and many more.



Features

Card Reader Features:

- Hi-Speed USB2.0
- All 4 memory slots are active, enabling user to transfer data between the different memory cards in the slots
- Supports CF Type I/II, Micro Drive, MS, MS Pro, MS Duo Pro, MS Duo, SD, MMC, & SM at up to 480Mbps/sec transfer speed
- Plug & Play
- Hot swapping
- LED Indication for power and access
- Supports Windows 98/98SE/2000/XP and Mac OS 9.x/Mac OS

Fan Controller Features:

- LCD display for temperature & rpm speed information
- 2-channel fan rpm control and temperature monitor
- Overheat alarm
- Fan failure alarm
- Supports M/B detection/external signal wire

I/O Port Features:

- 2 x USB2.0
- 1 x IEEE 1394
- 1 x Line-in
- 1 x Line-out
- 1 x Mic
- 1 x RCA Video Out
- 2 x SATA
- Pass through cables

Specifications

- DC Input: +5V / +12V, USB Bus Power
- DC Output: 4V, 12V DC
- LCD Display: 28 x 11mm
- Sensor Temp Range: 0~90°C/0~194°F
- Fan Speed: 1000~9900rpm
- 3-pin Fan Connectors: 2
- Memory Card Type: CF Type I/II, Microdrive, MS, MS Pro, MS Dual Pro, MS Dual, SD, MMC, SM
- Card Reader Interface: USB2.0 Pass Through
- OS: WIN 98se/ME/2000/XP/Mac OS 8.6+

Additional Information

Brand	Sunbeamtech
SKU	SUP20-PANEL-SL-D
Weight	2.0000
Color	Silver
Device Type	Multi-purpose
Bay Size	5.25" Bay
Vendor SKU/EAN	6933337306764
Special Price	\$16.25

