

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter





Watch Our YouTube



Bykski 10mm ID x 14mm OD Rigid Acrylic Tube - 4x 500mm - Clear

\$12.95

Product Images



Short Description

Using metric size fittings? The Bykski Acrylic tubing is crystal clear and easy to work with. Sold as a 4 pack, each stick is 500mm long giving you plenty to outfit your entire system!

Description

Using metric size fittings? The Bykski Acrylic tubing is crystal clear and easy to work with. Sold as a 4 pack, each stick is 500mm long giving you plenty to outfit your entire system!

Warnings: With the use of different components, materials, fluids, and flow rates, results may vary with the appearance of your tubing. Acrylic Tube works with a large variety of cooling components, however the use of alcohols, Ethylene Glycol and as well as any other harmful chemicals is strictly prohibited and will void your warranty.

Features

- Easy to Cut
- High Transparency
- Easy to Bend

Specifications

Specifications

Specifications

- Model:B-YKL12WP
- Inner Diameter (ID): 10mm
- Outer Diameter (OD): 14mm
- Wall Thickness:4mm
- · Length: 500mm
- Pack Size:4

Compatibility

• Fittings:14mm OD Rigid Fittings

Parts Included

• 4 Pieces of 500mm Acrylic tube

Installation

PLEASE NOTE: When using a bending insert with tube, remember it is meant to have a tight fit. If it is loose, the rigid tube will collapse, kink, form air pockets and flat spots when heated. The tighter the fit, the better the result. This process requires patience, but will become easier the more you practice.

The bending insert requires some stretching and lubricating to get it in the rigid tube. Steps to success are below:

- 1. Stretch the bending insert. Remove any excess that isn't stretched.
- 2. Ream the rigid tube with an RFB for best results, (or a hand reamer if that's all you have). This will ensure a clean opening for easier insertion.
- 3. Lubricate by applying several drops of dish soap or olive oil on the bending insert itself and then place several more drops into the rigid tube.
- 4. Work the bending insert into the rigid tube. The more you use the insert, the easier this process will

Additional Information

Brand	Bykski
SKU	B-YKL14WP500-4
Weight	2.0000
Color	Clear
Tube Type	Acrylic
Tube Size	14mm
Material	Acrylic
Delivery	Bulk



4/25/24