


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222



Like Us Facebook





www.performance-pcs.com sales@performance-pcs.com

Bykski 10mm ID x 14mm OD Rigid PETG Tube - 4x 500mm - Clear

\$13.95

Product Images



Short Description

Using metric size fittings? The Bykski PETG tubing is crystal clear and easy to work with. Sold as a 4 pack , each stick is 500mm long giving you plenty to outfit your entire system!

Using metric size fittings? The Bykski PETG tubing is crystal clear and easy to work with. Sold as a 4 pack , each stick is 500mm long giving you plenty to outfit your entire system!

Warnings: With the use of different components, materials, fluids, and flow rates, results may vary with the appearance of your tubing. Rigid PETG Tube is designed to work with a large variety of cooling components, however the use of alcohols, Ethylene Glycol and as well as any other harmful chemicals is strictly prohibited and will void your warranty.

Features

- Easy to Cut
- High Transparency
- Extremely Durable

Specifications

Specifications

Specifications

- Inner Diameter (ID): 10mm
- Outer Diameter (OD): 14mm
- Wall Thickness:4mm
- Length: 500mm
- Pack Size:4

Compatibility

• Fittings:14mm OD Rigid Fittings

Parts Included

• 4 Pieces of 500mm PETG tube

Installation

PLEASE NOTE: When using a bending insert with PETG, remember it is meant to have a tight fit. If it is loose, the rigid tube will collapse, kink, form air pockets and flat spots when heated. The tighter the fit, the better the result. This process requires patience, but will become easier the more you practice.

The bending insert requires some stretching and lubricating to get it in the rigid tube. Steps to success are below:

1. Stretch the bending insert. Remove any excess that isn't stretched.

2. Ream the rigid tube with an RFB for best results, (or a hand reamer if that's all you have). This will ensure a clean opening for easier insertion.

3. Lubricate by applying several drops of dish soap or olive oil on the bending insert itself and then place several more drops into the rigid tube.

4. Work the bending insert into the rigid tube. The more you use the insert, the easier this process will become.

Additional Information

Brand	Bykski
SKU	B-PETGWP14-50-4
Weight	2.0000
Color	Clear
Tube Type	PETG
Tube Size	14mm
Material	PET
Delivery	Bulk

