

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter





Watch Our YouTube





\$99.95

Product Images





Short Description

The Bykski DDC Pump w/ Armor is a DDC pump with the Bykski Heatsink Armor preinstalled. When used with a (B-PMFS) the pump can be actively cooled with a fan as well!

1

Description

The Bykski DDC Pump w/ Armor is a DDC pump with the Bykski Heatsink Armor preinstalled. When used with a (B-PMFS) the pump can be actively cooled with a fan as well!

Features

• Aluminum Construction Heatsink (not in contact with coolant)

Specifications

Specifications

- Material:Aluminum (not in contact with coolant)
- RPM:5000
- Power:DC12v, TDP15W
- Voltage Range:10v-15v
- Flow Rate:600L/h
- Temperature:45°C @ 4000RPM
- Connector:4-Pin Molex and PWM+ data feedback
- Pump Size:62mm x 62mm x 58mm (LxWxH)
- Reservoir Size:50mm x 66mm (Diameter x Height)

Compatibility

- Loop:Aluminum or Non-Aluminum
- Fitting:G1/4 Thread

Included Parts

- 1x Aluminum Housing (installed)
- 1x Aluminum Base Plate (installed)
- 1x Pump Pad (installed)
- 4x Mount Screws (installed)
- 1x DDC Pump (installed)
- 1x Reservoir Tube (installed)
- 1x Reservoir Cap (installed)

Additional Information

Brand	Bykski
SKU	B-PMD3-COV+CT66-G
Weight	2.5000
Color	Gold
Reservoir Type	Tube Res
Pump Type	DDC



3