


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222






\$31.99



www.performance-pcs.com sales@performance-pcs.com

Sek-Meltemi 120ER Black (500-1800rpm)

Product Images



Short Description

EK-Meltemi 120ER are 38mm thick extreme high-static pressure computer cooling fans, designed purely for highest-performance computer liquid cooling systems. Developed in-house on the basis of renowned EK-Vardar fans, they have a wide PWM range of operation. Due to a 38mm thick frame, there is space for an upgraded motor and far superior performance compared to any standard 25mm thick fan at the same RPM range.

Description

EK-Meltemi 120ER are 38mm thick extreme high-static pressure computer cooling fans, designed purely for highest-performance computer liquid cooling systems. Developed in-house on the basis of renowned EK-Vardar fans, they have a wide PWM range of operation. Due to a 38mm thick frame, there is space for an upgraded motor and far superior performance compared to any standard 25mm thick fan at the same RPM range.

The Meltemi family of cooling fans carries the name of a type of strong, dry northern winds of the Aegean Sea. The name Meltemi is derived from Italian mal tempo meaning "bad weather", while we can say that the EK-Meltemi is "bad news" for high temperatures.

Features

High-static pressure - unlike other general-purpose computer cooling fans, the EK-Meltemi family of fans is built specifically for computer liquid cooling systems, namely radiator cooling. The new 7 fan blade design is optimized for extremely high-pressure built upon a massive motor housed in a 38mm thick frame.

High-quality motor and bearing assembly - New electrical design, and the Dual-Ball bearing with 50.000 hours of lifespan (MTBF) @40C operation ensures uninterrupted operation for years to come. Precise Pulse Width Modulation (PWM) for fan speed adjustment allows performance adjustment on demand.

Sealed-edge fan casing - The classic, yet the effective square shape of the fan casing provides optimal performance in either pull - (suction) or push (pressure) regime without hydraulic losses, thus ensuring the optimal cooling capacity of your liquid cooling radiators. The classic shape of the fan frame also allows easy cable routing while grouping more fans on one radiator.

Robust design - The EK-Meltemi 120ER fans fit subtly into any liquid cooling computer giving it an industrial look based on quality and performance.

Sleeved cable - It comes with a 500mm long, nylon-sleeved 4-pin PWM cable.

Specifications

Mechanical and electrical specifications:

- Maximum speed: 1800 RPM (+/- 10%)
- Rated Voltage: 12V DC
- Power Draw: 1.6W
- PWM Duty Cycle: 25-100% ER (Extended Range)
- Connector: 4-pin PWM header
- Shaft bearing: Dual-Ball bearing
- Bearing durability: 50.000 hrs @ 40°C (MTBF)
- Dimensions: 120 x 120 x 38 mm

Performance characteristics:

- Max Air Flow: 62 CFM = 105 m³/h

- Static Pressure: 2.75mm H2O = 27Pa
- Sleeved cable length: 500 mm
- Noise Level: 44dBA



The scope of delivery:

- EK-Meltemi series fan
- radiator UNC 6-32 screws (4pcs)
- self-tapping screws (4pcs)

Designed and engineered by EK Water Blocks in Slovenia - Europe Made in China

PLEASE NOTE:

- The minimal rotation speed of the fan might vary from motherboard to motherboard model and even source PWM header.
- For best results, EK recommends using the CPU_FAN header as the PWM signal source for controlling the fan.
- EK suggests checking your fan header power specification to calculate how many fans can you connect to it.

Additional Information

Drand	FK Waterblacks
Brand	EK Waterblocks
SKU	EK-MELTEMI-120ER-BK-D
Weight	0.7500
Color	Black
Fan Dimensions	120mm
Fan Width	38mm
Fan Connection	4-Pin PWM
Fan Voltage	12 VDC
Fan RPM	1800
Fan CFM	62
Fan Noise (dB)	44
Vendor SKU/EAN	3831109880111

