

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter





\$59.95



# Enermax Jazz 3.5" SATA to eSATA/USB "Zero-Screw" External Mesh Enclosure - Black

# **Product Images**











# **Short Description**

## **Product Details:**

The 3.5" SATA to eSATA/USB 2.0 (EB307ES-B) interfaced Jazz is a perfect fit for enthusiasts with highest demand of speed for massive data transferring.

With its unique waved mesh cover, aluminum body and entirely "zero-screw" design, the 3.5" Jazz enclosures are designed and built from top to bottom of being one of the best enclosures available. Different from other so-called "Screw-less" or "Tool-free" design, the patented "zero screw" technology allows you to "squash" and secure your hard disk into the enclosure without ever using any tools.

### Features:

- Enermax "Zero-Screw" design (patented): Just put HDD inside, connect it and close the enclosure without any screws
- "Instant Cooling" design: aluminum housing with integrated steel Massive brushed meshing for highest heat dissipation and sturdiness
- eSATA expansion slot bracket included to install in any desktop case for eSATA connection
- Designed for 3.5'' SATA I & II HDD with external SATA (eSATA) interface for 3.0Gb/sec (6 times faster than USB2.0)
- Sleek industrial design with high brightness & long life tri-color LED indicator
- Built-in power On/Off switch for safe operation
- Vertical acrylic stand with rubber for desktop use
- 4 extra anti-slippery rubber feet for enclosure included

### Specifications:

Model	EB307ES-B
HDD Support	3.5" SATA I & II HDD
Interface	USB 2.0 & eSATA

Data Transfer Rate	480 Mb/sec max with USB 2.0 / 3Gb/sex max. with eSATA.	
Case Material	Aluminum & Steel Mesh	
Power Source	External power adapter with universal auto-switching (100-240V)	
HDD RPM Support	4,800-10,000 RPM	
Power & Access LED	Blue & Purple LED	
Support OS	Windows 98SE/ME /2000 /XP/Vista, Mac OS 8.6 or higher	
Dimensions (DxWxH)	220mm* 124mm* 43mm / 8.66"*4.88"*1.69"	

# Description

# **Product Details:**

The 3.5" SATA to eSATA/USB 2.0 (EB307ES-B) interfaced Jazz is a perfect fit for enthusiasts with highest demand of speed for massive data transferring.

With its unique waved mesh cover, aluminum body and entirely "zero-screw" design, the 3.5" Jazz enclosures are designed and built from top to bottom of being one of the best enclosures available. Different from other so-called "Screw-less" or "Tool-free" design, the patented "zero screw" technology allows you to "squash" and secure your hard disk into the enclosure without ever using any tools.

### Features:

- Enermax "Zero-Screw" design (patented): Just put HDD inside, connect it and close the enclosure without any screws
- "Instant Cooling" design: aluminum housing with integrated steel Massive brushed meshing for highest heat dissipation and sturdiness
- eSATA expansion slot bracket included to install in any desktop case for eSATA connection
- Designed for 3.5'' SATA I & II HDD with external SATA (eSATA) interface for 3.0Gb/sec (6 times faster than USB2.0)
- Sleek industrial design with high brightness & long life tri-color LED indicator
- Built-in power On/Off switch for safe operation
- Vertical acrylic stand with rubber for desktop use
- 4 extra anti-slippery rubber feet for enclosure included

### Specifications:

Model	EB307ES-B
HDD Support	3.5" SATA I & II HDD
Interface	USB 2.0 & eSATA
Data Transfer Rate	480 Mb/sec max with USB 2.0 / 3Gb/sex max. with eSATA.
Case Material	Aluminum & Steel Mesh
Power Source	External power adapter with universal auto-switching (100-240V)

HDD RPM Support	4,800-10,000 RPM
Power & Access LED	Blue & Purple LED
Support OS	Windows 98SE/ME /2000 /XP/Vista, Mac OS 8.6 or higher
Dimensions (DxWxH)	220mm* 124mm* 43mm / 8.66"*4.88"*1.69"

# Additional Information

Brand	Enermax
SKU	EB307ES-B-D
Weight	3.0000
Device Type	External SSD/HDD Enclosure
Bay Size	3.5" Bay
Vendor SKU/EAN	4710937395471
Special Price	\$44.96

