

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com














\$1.50

Product Images



Short Description

XSPC FLX is a high quality PVC tubing, ideally suited for PC water-cooling. It's extremely flexible, highly transparent, stain resistant, phthalate free and RoHS complaint.

Description

XSPC FLX is a high quality PVC tubing, ideally suited for PC water-cooling. It's extremely flexible, highly transparent, stain resistant, phthalate free and RoHS complaint.

Please Note: This is bulk hose and sold by the foot

Specifications

- 1/2" (13mm) Inner Diameter
- 1/8" (3mm) Wall Thickness
- 3/4" (19mm) Outer Diameter
- High Transparency
- Smooth Internal Wall
- Stain Resistant
- Print Free
- DEHP Plasticiser Free
- Phthalate Free
- RoHS Compliant
- Max Temperature 60C
- Min Temperature -20C
- Designed for use with 1/2" barbs and compression fittings

2

Additional Information

Brand	XSPC
SKU	XSPC-1234-CL
Weight	0.3000
Color	Clear
Tube Type	PVC
Tube Size	1/2" x 3/4" (13mm x 19mm)
Material	PVC
Delivery	Bulk
Vendor SKU/EAN	5060596650206



3