


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222



f Like Us Facebook




\$29.95



www.performance-pcs.com sales@performance-pcs.com

# NZXT AER RGB 2 - 140mm - RGB LED - Fluid Dynamic Bearing - PWM Fan for Hue 2 - Single

## **Product Images**



The NZXT Aer Series fans feature a new chamfered design with greater intake size for more cooling. Available in three different varieties, the Aer fan you choose to install on your PC will depend on what you need it for. If you're looking for a fan with less drag, quieter operation, and possibly fancy lighting, look no further.

### Description

The NZXT Aer Series fans feature a new chamfered design with greater intake size for more cooling. Available in three different varieties, the Aer fan you choose to install on your PC will depend on what you need it for. If you're looking for a fan with less drag, quieter operation, and possibly fancy lighting, look no further.


Integrating seamlessly into the HUE 2 ecosystem, Aer RGB 2 fans deliver optimal airflow and advanced lighting customizations. Connect up to five fans per channel or mix-and-match with any HUE 2 accessory\* in any channel and synchronize them using CAM for amazing lighting effects that work in perfect harmony. With fluid dynamic bearings and winglet tips, Aer RGB 2 fans offer enhanced cooling while minimizing noise.

\*HUE 2 supports up to a maximum of 40 LEDs per channel, five Aer RGB 2, or six HUE 2 accessories total.

#### Features


## PERFORMANCE ENGINEERED

These PWM static pressure fans are designed with a chamfered-intake and exhaust that boost overall airflow and pressure.



#### WINGLET TIPS

The winglet designed fan blades minimize drag and further enhance fan performance.



#### FLUID DYNAMIC BEARING

Using patented fluid dynamic bearings(FDB) made of copper, the life span of the Aer P is made to last over six years. FDB are designed to maintain consistent lubrication reducing bearing noise.



# EVERY DETAIL COUNTS (Aer P / Aer F)

The Aer P / Aer F comes with sleeved cables for ease of cable management and vibration dampeners on each mounting point to keep fan noise to a minimum.



# COLOR YOUR WAY (Aer P / Aer F)

Three color choices are available and sold separately to color coordinate your build. Choose from blue, red or white.

SELECT PRODUCT TO SEE DEMO



SELECT COLOR

















# COUNTLESS POSSIBILITIES ( Aer RGB )

Aer RGB supports up to 5 fans per HUE+ lighting channel. Link them together and designate fans to groups. Aer RGB includes all of the lighting presets from HUE+ and introduces exclusive modes such as the RPM mode.

The Aer RGB fan achieves even light dispersion through specifically engineered light guides and 8 LEDs.

ZXTCAN	MIYPC	LIGHTING	⊐ © _ □ TUNING	3
Header l	<sup>Jnit</sup>	):	<b></b> ∎=	-0
Kraken X				
Log	0	o <del>- </del>	© Fixed —	\$
Rin	g	o <del></del>	© Fixed	\$
Smart Device	,		About the Smart D	evice
	Strips mel 1: 4 strips connecte	ed O - III - S	₿ Fixed ————————————————————————————————————	٥
HUE 2			About the H	IUE 2
	RGB 2 mel 1: 2 fans connected	• <b>—</b> ()	S Rived	¢
HUE 2 Ambie	ent		About the HUE 2 Am	bient
	E 2 Ambient anel 1: 3 strips connecte	ed o main a	Fixed	٥
	E 2 Ambient nel 2: 3 strips connecto	ed 0	Bixed -*-	¢

## Specifications

Aer F140: 140 x 140 x 26mm 8 LEDs

MATERIAL(S): Plastic, Rubber

FAN SPEED: 500-1,500 RPM

FAN AIRFLOW: Aer RGB140: 30.39 – 91.19 CFM

FAN AIR PRESSURE: Aer RGB140: 0.17 – 1.52mm-H20

FAN NOISE LEVEL: Aer RGB140: 22 – 33dBA

FAN BEARING: Fluid Dynamic Bearing (FDB)

FAN RATED VOLTAGE:

#### 12V DC

FAN CONNECTOR: 4-pin PWM FAN LIFE: 60,000 hours / 6 Years 2 Year Warranty

# Additional Information

Brand	NZXT
SKU	HF-28140-B1
Weight	0.5000
Color	RGB
Fan Dimensions	140mm
Fan Width	26mm
Fan Connection	4-Pin PWM
Fan Voltage	12 VDC
Fan RPM	1500
Fan CFM	91
Fan Noise (dB)	33
LED Color	RGB

