








EK-Quantum Kinetic FLT 360 D5 PWM D-RGB - Plexi

\$284.99

Product Images





Short Description

All new Flat (FLT) series EK-Quantum Kinetic FLT D5 pump-reservoir units! The new Kinetic combo units are part of the EK Quantum Line of products and come with sophisticated addressable D-RGB lighting implementation and a genuine D5 pump! Each unit is featuring standard 120mm fan mounting holes for maximum flexibility during the installation. The reservoir is equipped with a total of six G1/4" ports so that users can choose the most optimal setup for their liquid cooling loops.\

Choose a ceramic color to add custom color to your accent piece, screws, and stop plugs

Description

All new Flat (FLT) series EK-Quantum Kinetic FLT D5 pump-reservoir units! The new Kinetic combo units are part of the EK Quantum Line of products and come with sophisticated addressable D-RGB lighting implementation and a genuine D5 pump! Each unit is featuring standard 120mm fan mounting holes for maximum flexibility during the installation. The reservoir is equipped with a total of six G1/4" ports so that users can choose the most optimal setup for their liquid cooling loops.

EK-Quantum Kinetic FLT D5 series pump-reservoir units are equipped with genuine D5 pumps, made in Europe, which are capable of delivering flow rates of 1500 liters per hour with a maximum head pressure up to 3.9 meters! These new FLT series combo units are available in three different sizes of 120mm, 240mm, and 260mm.

The new flat-shaped pump-reservoir units are to revolutionize the way you were thinking about combo units and loop building. Since 120mm fan mounting patterns are the most dominant mounting options inside PC cases these days, these new Kinetic FLT D5 combo units will allow greater flexibility for installation since they don't require drilling of new mounting holes on your case.

The combo unit is equipped with a total of six industry-standard G1/4" ports, which can be, based on the orientation of the unit, used as inlet and outlet ports, as well as fill and drain ports.

The reservoir is manufactured of premium quality acrylic material, machined to perfection, while the sealing is performed by a quality EPDM o-ring. Alongside the reservoir is a black anodized aluminum cover under which the Addressable D-RGB LED strip is placed. Proper LED implementation is one of the main focus points of EK so that there are as few visible "LED hotspots" as possible.

Specifications

Technical specifications:

- Size (HxWxT): 365x120x86mm (with the mounting system)
- Capacity: ~435ml
- D-RGB connector 3-pin 5V digital LED header (Pinout: +5V, D, Blocked, Ground)

Pump electrical and mechanical properties:

- Motor: Electronically commuted spherical motor
- Rated voltage: 12V DC

- Power consumption: 23W
- Maximum pressure head: 3.9m
- Maximum flow: 1500L/h
- Maximum system temperature: 60°C
- Materials: Stainless steel, PPS-GF40, EPDM O-rings, Aluminium oxide, hard coal
- Power connector: SATA power and 4-Pin PWM FAN connector

Operational regime:

- PWM duty cycle: ~ 20-100%
- Default behavior: Runs at 100% duty cycle when no PWM feedback signal is present

Enclosed:

- EK-Quantum Kinetic FLT 360 PWM D5 D-RGB
- Mounting mechanism with all necessary screws for 120mm fan mounting
- Pair of EK reservoir holders with mounting screws
- 4 × G1/4 Plugs
- 1 × Allen key for reservoir holders

Made in Slovenia - EU!

Pump motor made in Hungary - EU!

PLEASE NOTE:

- Do not clean the reservoir with alcohol derivatives or other solvents as the acrylic may crack!
- Coolant and additional plugs are just for showcase and are not delivered with the product!
- The D5 pump is water lubricated, in other words, it uses a wet rotor design. Therefore, it is strongly recommended not to run the pump dry.

Additional Information

Brand	EK Waterblocks
SKU	EK-KIN-360-D5-PWM-DRGB-PL
Weight	5.0000
Color	Clear
Reservoir Type	Distribution plate
Pump Type	Laing D5
Vendor SKU/EAN	3831109819807

