



Heat Shrink Tubing Kit - 625PCs Black (2/5"-1/24")

\$14.99

Product Images

**625
pcs**




1/4" (6mm)	1.57" (40mm)	1.57" (40mm)	1/24" (1mm)
	(45 pcs)		(150 pcs)
		1/12" (2mm)	(120 pcs)
5/16" (8mm)		1/8" (3mm)	(100 pcs)
	(30 pcs)	1/6" (4mm)	(90 pcs)
2/5" (10mm)		1/5" (5mm)	(60 pcs)
	(30 pcs)		



2:1 heat shrink ratio


It will shrink up to 1/2 of original, only use a heat gun heating it.

Instruction for Use




Fast & Easy Use


Our heat shrink tubing can be fast & easy using and give you a safe and tidy connection.



Solder Joint Protection



Resistance electric capacity
reason protection



Home Line Repair

Short Description

Handy dandy heatshrink kit for those that just want alot of different sizes on hand to handle all their DIY needs. This kit comes in a divided storage box and is perfect for hardcore modders toolbox!

Description

Handy dandy heatshrink kit for those that just want alot of different sizes on hand to handle all their DIY needs. This kit comes in a divided storage box and is perfect for hardcore modders toolbox!

Features

Versatile & DIY Helper

Multiple sizes high-quality heat shrink tubing for your choose, they can be used for solder joint protection, group of lines marking, resistance electric capacity reason protection etc.

Fast & Easy Use

Our heat shrink tubing has the advantages of good electrical insulation, corrosion resistance, and high temperature resistance, which hase better performance when you and your kids DIY.

It is 2:1 heat shrink ratio, and will shrink up to 1/2 of original, only use a heat gun heating for it. Also Includes handy plastic container for easy organization and storage.

Tidy Connection

Are you bothered by the fact that wrapping cable wire connection with electric tape which is ugly and not safe enough. Now the good news is that our heat shrink tubing can avoid these troubles and ideal for irregular shape project, have a clear look and tidy connection.

Specifications

- Color: Black
- Material: Polyolefin
- Heat shrink ratio: 2:1
- Operating Temperature:-131°C to + 257°F
- Shrinkage Temp: 212°F(Fahrenheit)
- Full Shrinkage Temp: 230°Fmaximum
- Tensile strength: 10.4Mpa
- Dielectric strength: 15 kV / mm
- Flammability: Flame Retardant
- Single length: 1.57 inch

Kit Contents:

- 2/5"(30pcs)
- 5/16"(30pcs)
- 1/4"(45pcs)
- 1/5"(60pcs)
- 1/6"(90pcs)
- 1/8"(100pcs)
- 1/12"(120pcs)
- 1/24"(150pcs)

Additional Information

Brand	PPCS
SKU	HSKIT-625-BK
Weight	1.5000
Color	Black
Heatshrink Size	Assorted

