



Thermaltake View 51 Tempered Glass Snow ARGB Edition

\$189.99

Product Images





Short Description

Designed to expand the legacy of the View Series lineup, the View 51 Tempered Glass Snow ARGB Edition full-tower chassis features two 200mm 5V ARGB fans at the front and one 120mm 5V ARGB fan at the rear providing outstanding ventilation.

Description

Designed to expand the legacy of the View Series lineup, the View 51 Tempered Glass Snow ARGB Edition full-tower chassis features two 200mm 5V ARGB fans at the front and one 120mm 5V ARGB fan at the rear providing outstanding ventilation. This elegant chassis utilizes swing-out side panels, and is enclosed with 4mm tempered glass panels on three sides for users to demonstrate their DIY handwork and showcase their internal components. The I/O ports are positioned vertically on the right side of the front panel with tempered glass windows on its left. Different from other View Series chassis', the View 51 TG Snow ARGB can hold up to two 200mm fans at the front and on the top. With support for the latest PC hardware, the View 51 TG Snow ARGB Edition is not only fascinating in appearance but comes with endless possibilities for PC lovers.

Features

TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT

Premium is far more than just a guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC hardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity to provide a high performance PC product for every enthusiast.

Tt LCS Certified

Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardcore enthusiasts standards that a true LCS chassis should be held to. The Tt LCS certification was created so that we at Thermaltake can designate to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations to ensure you get the best performance from the best features and fitment.

We've Got You Covered

The View 51 TG ARGB comes with two preinstalled 200mm 5V ARGB fans at the front and one 120mm 5V ARGB fan at the rear. The fans feature 9 addressable LEDs, hydraulic bearings for near silent operation and 16.8 million color illumination. This helps guarantee high airflow and access to tons of awesome lighting modes. The fans can be controlled by using a simple interface built into the I/O panel or utilising your motherboards software, allowing you to cycle through seven different lighting modes and a range of different color options.

Sync with Motherboard RGB Software

Designed to synchronize with ASUS Aura Sync, GIGABYTE RGB Fusion, MSI Mystic Light Sync and ASRock Polychrome. It supports motherboards that have a 5V addressable RGB header, allowing you to control the lights directly from the above-mentioned software without installing any extra lighting software or controllers. For more details, please visit ASUS, GIGABYTE, MSI and ASRock official websites.

Tempered Glass Window

The chassis comes with three 4mm tempered glass panels, thicker and more scratch resistant when compared to standard acrylic. A swing door on the left side allows users to easily access the internal components as well as the ability to remove the doors entirely for complete access to the internals. On top of this, the enlarged window design enables you to display and admire all your components in their full RGB glory.

Smart Space Design

Sophisticated space design located on the right side of the case provides a neat area for PSU placement and cable management.

Specifications

| | |
|--|------------------|
| | CA-1Q6-00M6WN-00 |
| | View |
| | View 51 TG Snow |
| | Middle Tower |

| | |
|--|--|
| | 550 x 315 x 525 mm (21.65 x 12.4 x 20.67 inch) |
| | 3 x Tempered Glass (4mm thickness) |
| | Exterior & Interior: White |
| | SPCC |
| | Front (intake) : 2 x 200 x 200 x 30mm Addressable RGB fan (Fixed 600rpm, 24dBA) Rear (exhaust) : 1 x 120 x 120 x 25mm Addressable RGB fan (Fixed 1000rpm, 27.2 dBA) |
| | 2 x 3.5" or 2.5" (With HDD Cage) ; 2 x 2.5" (With HDD Bracket) - |
| | 8 |
| | 6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX), E-ATX (up to 10.5" wide) |
| | 1 x Type-C, 2 x USB 2.0, 2 x USB 3.0, 1 x HD Audio |
| | Standard PS2 PSU (optional) |
| | Front: 3 x 120mm , 3 x 140mm , 2 x 200mm Top: 3 x 120mm , 3 x 140mm , 2 x 200mm Rear: 1 x 120mm , Right: 3 x 120mm , 2 x 140mm Bottom: 3 x 120mm |
| | Front: 1 x 360mm , 1 x 280mm , Top: 1 x 360mm , 1 x 280mm , Right: 1 x 360mm , 1 x 280mm Bottom: 1 x 360mm , |
| | CPU cooler height limitation: 175mm VGA length limitation: 300mm(With Water Pump) 440mm(Without Water Pump) PSU length limitation: 200mm |

Additional Information

| | |
|---------------------|---------------------------------|
| Brand | Thermaltake |
| SKU | CA-1Q6-00M6WN-00 |
| Weight | 60.0000 |
| Color | White |
| Chassis Form Factor | Mid-Tower |
| Side Panel | Window |
| Motherboard Support | ATX, E-ATX, Micro ATX, Mini ITX |
| Material | Steel |
| PSU Wattage | No PSU |
| Vendor SKU/EAN | 841163073865 |

