

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com













\$0.26

## **Product Images**



### **Short Description**

Our custom 16AWG cable sleeving wire has an outer diameter of just 1.9304mm! This is very important when trying to crimp terminals onto this wire, and be able to get your sleeved cable into the connector. Our Ratchet Crimper works perfectly with this wire in crimping on the necessary terminals. A lot of 16AWG wire that you find at your local hardware store has insulation thicker than 2.2mm making it very difficult to nearly impossible to crimp terminals onto it while still being able to fit the sleeved wire into the connector.

#### Description

We spent a long time perfecting the best 16AWG wire for use with cable sleeving and this is it!

Our custom 16AWG cable sleeving wire has an outer diameter of just 1.9304mm! This is very important when trying to crimp terminals onto this wire, and be able to get your sleeved cable into the connector. Our Ratchet Crimper works perfectly with this wire in crimping on the necessary terminals. A lot of 16AWG wire that you find at your local hardware store has insulation thicker than 2.2mm making it very difficult to nearly impossible to crimp terminals onto it while still being able to fit the sleeved wire into the connector.

This wire's insulation is made of durable PVC which holds a higher quality than that of silicon insulation. It also allows for better rigidity for your terminal and when training your cables.

We went even further to make sure this wire uses tinned copper to aid with soldering! Since tin is a primary component in solder, this wire makes it easier to use when soldering together those pesky double wires. Tinned copper is also better protected from corrosion than non-tinned copper wire.

We also needed a wire with very faint writing on the insulation and this wire pasts the test. The writing won't bleed through your sleeve especially our Teleios, and Coreless Paracord sleeving thanks to its incredibly tight weave.

Wire is sold by the foot.

## **Specifications**

- AWG Size 16AWG
- Outer Diameter 1.9304mm
- Number of Strands 26
- Insulation Thickness 0.2286mm
- Max Temp (80c)
- Min Temp (-20c)
- Conductor Material Tinned Copper
- Insulation Material Semi-Rigid Polyvinylchloride (SR-PVC)

# Additional Information

Brand	MAINFrame Customs
SKU	MC-16AWG-WIRE-BLACK
Weight	0.0200
Color	Black
Cable Type	Cable DIY



3