

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222









www.performance-pcs.com sales@performance-pcs.com

Akasa Nero 3 Premier CPU Cooler with Intel Backplates



Product Images





Short Description

Akasa NERO classic design combines peak performance and near silent operation. A multi-platform cooler designed for the entire range of current Intel and AMD processors. The four high capacity heatpipes utilize direct CPU contact technology for rapid heat transfer. Direct contact eliminates thermal resistance thereby increasing efficiency. High grade aluminium profiled fins ensure optimum heat dissipation. A piano black 120mm PWM fan is mounted using anti-vibration siliconized rubber pins giving whisper quiet cooling.


This model includes Intel backplates.

Description

Akasa NERO classic design combines peak performance and near silent operation. A multi-platform cooler designed for the entire range of current Intel and AMD processors. The four high capacity heatpipes utilize direct CPU contact technology for rapid heat transfer. Direct contact eliminates thermal resistance thereby increasing efficiency. High grade aluminium profiled fins ensure optimum heat dissipation. A piano black 120mm PWM fan is mounted using anti-vibration siliconized rubber pins giving whisper quiet cooling.


The product design has been refined to ensure ultra quiet and exceptional cooling for CPU's up to 150W TDP (Thermal Design Power). It is compatible with the new forthcoming Intel LGA 2011 processors. Akasa (patented) Easy Select Clip with Intel reference push-pin retention is used for no-hassle mounting on Intel LGA775, LGA1150, LGA1155, LGA1156, LGA1200 and LGA1366 platforms - no backplate is needed. AMD Sockets 939, AM2, AM2+ and AM3 are catered for with a cam-lever clip for safe and easy attachment. Performance thermal compound is supplied.

This model includes Intel backplates.



Nero 3

Premier Cooler Intel Core 2 Quad, Core i3, Core i5 & Core i7 AMD Athlon 64, Athlon FX, Athlon II, Phenom, Phenom II & A-Series



Features

- Four high capacity 6mm heatpipes with direct CPU contact
- Piano black 12cm fan with PWM
- Siliconized rubber fan mounts for enhance ultra quiet performance



Specifications

motherboard backplate

Socket type	Intel LGA775, LGA1150, LGA1151, LGA1155, LGA1156, LGA1200, LGA1366, LGA2011, LGA2066 AMD Socket AM2, AM2+, AM3, AM3+, AM4, FM1, FM2 & FM2+
Cooler dimensions	120 (W) x 86.7 (D) x 160 (H) mm

Heatsink material	High grade aluminium fins, copper heatpipes	
Heatpipe	6mm x 4	
Weight	609g	
Installation	Screws and backplate (Intel LGA775 / 1150 / 1155 / 1156 / 1366) Screws (Intel LGA2011) Cam-lever clip (AMD)	
Fan dimension	120 x 120 x 25mm	
Fan speed	700-2000 RPM (PWM controlled)	
Airflow	22.5 - 64.3 CFM	
Static pressure	0.26 – 2.11 mm H2O	
Noise level	18.5 – 33.2 dB(A)	
Voltage rating	DC 12V	
Bearing type	EBR	
Fan life expectancy	40,000 hours	
Fan connector	4pin PWM	
Product code	AK-CC4013EP02	

Additional Information

Brand	Akasa
SKU	AK-CC4013EP0
Weight	1.6000
Color	Silver
Heatsink Type	CPU Heatsink
Compatibilty	AMD AM4/AM3()/AM2()/FM2()/FM1()/754/939/940, Intel 1150/1151/1155/1156,115X, Intel 1366, Intel 2011(-3), Intel 2066,Intel 775
Material	Copper/Aluminum
Fan Dimensions	120mm
Fan Connection	4-Pin PWM
Fan RPM	2000
Fan CFM	64
Fan Noise (dB)	33

