





Akasa Nero LX 2 High Performance Low Profile CPU Cooler

\$34.95

Product Images



Short Description

Akasa Nero LX 2 High Performance Low Profile CPU Cooler AK-CC4016EP01. Suitable for HTPC or slim system with limited space. High performance low profile four direct contact heatpipes cooler.

Description

Akasa Nero LX 2 High Performance Low Profile CPU Cooler AK-CC4016EP01. Suitable for HTPC or slim system with limited space. High performance low profile four direct contact heatpipes cooler.

NERO LX²

high performance low profile CPU cooler

- Suitable for HTPC or slim system with limited space
- High performance low profile four direct contact heatpipes cooler



Only
57 mm
in Height

Features



Only 57mm tall,
suitable for HTPC or
slim system with limited space

High performance low profile
four direct contact heatpipes cooler



Low noise
12cm slim PWM fan

Features

- suitable for HTPC or slim system with limited space
- high performance low profile four direct contact heatpipes cooler

Specifications

Socket type	Intel LGA775, LGA1150, LGA1151, LGA1155, LGA1156, LGA1200 & LGA1366 AMD Socket AM2, AM2+, AM3, AM3+, AM4, FM1, FM2 & FM2+
Heatsink material	Aluminium fins, copper heatpipes
Cooler weight	282g
Cooler dimension	120 x 120 x 57mm (W x D x H)
Fan dimension	120 x 120 x 15mm
Fan speed	600 - 1800 RPM
Max airflow	61.37 CFM
Max air pressure	1.72 mm H ² O
Noise level	32.9 dB(A)
Voltage rating	12V DC
Bearing type	EBR
Fan connector	4pin PWM
Product code	AK-CC4016EP01

Additional Information

Brand	Akasa
SKU	AK-CC4016EP01
Weight	1.6000
Color	Silver
Heatsink Type	CPU Heatsink
Compatibilty	AMD AM4/AM3()/AM2()/FM2()/FM1()/754/939/940, Intel 1150/1151/1155/1156,115X, Intel 1366, Intel 775
Material	Copper/Aluminum
Fan Dimensions	120mm
Fan Connection	4-Pin PWM
Fan RPM	1800
Fan CFM	61
Fan Noise (dB)	32

