






Akasa K25 Slim CPU Cooler Designed for mini-ITX and micro-ATX Chassis

\$14.95

Product Images





Short Description

Akasa K25 Ultra compact and low noise cooler for Intel Core 2 Duo, Core i3 and Core i5 (73W) CPU's. The low profile design with embedded S-Flow fan makes it a perfect solution for mini-ITX, HTPC and SFF systems. Aluminium heatsink with full height copper core and quiet HDB bearing fan ensure high efficiency and long life. High engineered multi directional aluminium heatsink maximizes heat dissipation and PWM fan provides optimal CPU, motherboard and VRM cooling with minimal noise levels.

Description

Akasa K25 Ultra compact and low noise cooler for Intel Core 2 Duo, Core i3 and Core i5 (73W) CPU's. The low profile design with embedded S-Flow fan makes it a perfect solution for mini-ITX, HTPC and SFF systems.


Aluminium heatsink with full height copper core and quiet HDB bearing fan ensure high efficiency and long life. High engineered multi directional aluminium heatsink maximizes heat dissipation and PWM fan provides optimal CPU, motherboard and VRM cooling with minimal noise levels.

Intel approved pushpins ensure easy installation, reliable retention and maximum compatibility on LGA775, LGA115X and LGA1200 platforms without any mounting adjustment, pushpins will automatically slide into correct position. K25 is designed to work with CPU's up to 73W but greater cooling efficiency can be attained with efficient case airflow. Pre-applied high performance thermal compound ensures clean and easy installation.



K25

Designed for mini-ITX and micro-ATX chassis
Core 2 Duo, Core i3 & Core i5 processors



Product Code: AK-CC7118HP01

Features

- For Intel LGA775, LGA1150, LGA1155, LGA1156, LGA1200
- Embedded 8cm PWM fan with S-Flow blades and long life bearing
- Intel approved push pins provide maximum compatibility
- High performance thermal interface is pre-applied

Specifications

Socket type	Intel LGA775, LGA1150, LGA1151, LGA1155, LGA1156, LGA1200
Cooler dimension	87.2 x 85.2 x 29.5 mm
Heatsink material	Aluminum with copper insert
Weight	220 g
Installation	Push pins
Fan dimension	Ø74 x 15 mm
Fan speed	600 - 3000 RPM (PWM controlled)
Max airflow	33.50 CFM
Max air pressure	3.76 mmH2O
Noise level	28.71 dB(A)
Voltage rating	12V DC

Bearing type	HDB
Fan life expectancy	50,000 hours
Fan connector	4pin PWM
Product code	AK-CC7118HP01



Additional Information

Brand	Akasa
SKU	AK-CC7118HP01
Weight	1.4000
Color	Yellow
Heatsink Type	CPU Heatsink
Compatibilty	Intel LGA 775, Intel 115X
Material	Copper/Aluminum
Fan Dimensions	75mm
Fan Connection	4-Pin PWM
Fan RPM	3000
Fan CFM	33
Fan Noise (dB)	28

