

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter



See Our Instagram

Watch Our YouTube





\$19.99

Product Images



Short Description

EK-HD PETG Tube is solid type PETG tubing intended for use with EK-HD push-in adapters and EK-HDC series compression fittings. The tubing may be heat treated to achieve certain bends. For expert users only!

Description

EK-HD PETG Tube is solid type PETG tubing intended for use with EK-HD push-in adapters and EK-HDC series compression fittings. The tubing may be heat treated to achieve certain bends. For expert users only!

It is mandatory to chamfer the edges of freshly cut tube in order to prevent gasket (O-ring) damage. EK recommends a 0,5mm x 45° chamfer.

Specifications

Technical data:
- Material: PETG

Inner diameter: 12 mmOuter diameter: 16 mmLength: 1000 mm (39.4")

The package contains 2 pieces of tube only. Please purchase EK-HD Adapter or EK-HDC compression fittings separately!

For easier installation we recommend wetting the gasket (O-ring) using drops of water prior to installing solid tube.

PLEASE NOTE:

- Please note that 12/16 PETG tubing is prone to deforming if the loop constantly runs on higher temperatures, which could lead to coolant leaking!
- To prevent any PETG tube deformation, EK recommends the use of EK PETG Inserts.

2

Additional Information

Brand	EK Waterblocks
SKU	EK-HD-PETG-TUBE-12-16-1000
Weight	2.0000
Color	Clear
Tube Type	PETG
Tube Size	12mm x 16mm
Material	PET
Vendor SKU/EAN	3831109813089

