




# EK-Quantum Torque STC 10/16 - Satin Titanium

\$8.49

## Product Images





## Short Description

---

EK-Quantum Torque STC 10/16 fittings are EK's new minimalistic 10/16mm (ID/OD) soft-tube compression fittings designed for use with various flexible soft tubing types such as PVC, EPDM, Norprene, silicone or any other type of compatible flexible tube. With a non-intrusive, yet striking look, and with NO added branding at all. They can be complemented by interchangeable aesthetic color rings, and are an ideal choice for anyone and a perfect match with EK-Quantum series products.

## Description

---

EK-Quantum Torque STC 10/16 fittings are EK's new minimalistic 10/16mm (ID/OD) soft-tube compression fittings designed for use with various flexible soft tubing types such as PVC, EPDM, Norprene, silicone or any other type of compatible flexible tube. With a non-intrusive, yet striking look, and with NO added branding at all. They can be complemented by interchangeable aesthetic color rings, and are an ideal choice for anyone and a perfect match with EK-Quantum series products.

The locking ring is compressing the tubing wall underneath the ring, and this prevents the flexible tube from being pulled off the barb of the fitting. The grooves on the outside allow for easier hand tightening. The compression ring has cutouts in the EK Quantum signature shape allowing for the colored aesthetic ring to be shown. The colored rings are available in many colors and are screwed onto the fitting before the compression locking ring. The aesthetic rings are sold separately.

The fitting barb and the compression rings are covered with a unique, high-quality satin silver finish. Both are made of CNC machined brass and the seal is made quality rubber O-rings. Satin Titanium Quantum Torque series fittings are intentionally not painted on the inside to reduce the level of possible pollutants in the loop.

The base fitting surface is smooth and has no adequate gripping surface, but the inside of the barb is socketed with a 8mm hex Allen key pattern. It's highly recommended to use an Allen Key 8mm (purchased separately) to prevent skin damage to the fingertips while installing the fitting. Please, be advised not to use excessive force when attaching fitting barbs using Allen Key 8mm in order to prevent damage to other liquid cooling products!

These fittings are guaranteed to be compatible with all other EK Water Blocks liquid cooling products.

## Specifications

---

Technical data:


- Material: Brass
- Finish: Satin Silver
- Thread: G1/4" BSPP; 4.5mm male thread length
- Supported tube: 10/16mm (ID/OD)
- The outer diameter of a fitting: 23mm
- Installed height: 19mm
- Compatible soft tubing: PVC, EPDM, Norprene, silicone and most other flexible tubes

Made in Europe - Slovenia!

PLEASE NOTE:

- Do not use excessive force when attaching fitting barbs using Allen Key 8mm in order to prevent damage!
- Satin Titanium Quantum Torque series fittings are intentionally not painted on the inside to reduce the level of possible pollutants in the loop.
- This product should NOT be installed with any aluminum Fluid Gaming parts!
- The aesthetic rings are sold separately.

## Additional Info



G1/4

## Additional Information

---

Brand	EK Waterblocks
SKU	EK-TORQUE-STC-1016-ST
Weight	0.1500
Special Order	No
Fitting Type	Compression
Fitting Size	10/16mm
Fitting Angle	Straight
Fitting Finish	Satin Titanium
Vendor SKU/EAN	3831109823859

