


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





Follow Us Twitter







Alphacool Eis-Matrix II Aurora Digital RGB Controller - Black

\$14.95 was \$17.95

Product Images











Short Description

The Alphacool Eis-Matrix 2 Digital RGB Controller offers extensive control options for addressable digital RGB fans. With it, the speed of the fans can be infinitely adjusted and it offers all possibilities to realize the perfect lighting in your own system.

Description

The Alphacool Eis-Matrix 2 Digital RGB Controller offers extensive control options for addressable digital RGB fans. With it, the speed of the fans can be infinitely adjusted and it offers all possibilities to realize the perfect lighting in your own system.

Features

Extensive connection options

The Eis-Matrix II controller has seven 5-pin connectors for digital RGB fans. These connectors can be used for PWM fans with addressable digital RGB LEDs. Two 3-pin connectors are available for Digital RGB LED strips. With the appropriate Y-adapters more fans and LED strips can be connected and controlled per connector. However, please note that the controller can deliver a maximum of 36 W to fans and 30 W to LED strips. The power connection is done via a normal SATA connector.

Control via the mainboard possible?

A 4-pin connector with included cable offers the possibility to connect the controller directly to the mainboard. With the included adapter cable the fans can be controlled via a free PWM port. The digital aRGB LEDs are controlled via a 3-pin 5V connector (VD_G) or alternatively via a VDG connector. Which connector must be used depends on the connection possibilities of the mainboard.

Remote control?

If you do not want to control the controller via the mainboard, you can use the included infrared remote control. With this the fans can be regulated steplessly and of course extensive digital RGB effects can be created. These include effects such as pulsing, color gradients, changing colors and much more. In addition, the brightness and speed of the effects can be freely configured.

The Eis-Matrix II Controller offers many possibilities of Digital RGB and fan control. Thanks to the connection possibilities of various mainboards, corresponding mainboard software solutions can also be used as controls.

Specifications

Tecnical data

• L x W x H: 8,4 x 5,4 x 2,4 cm

• Fan connnector: 7 x 5-Pin

• Connector aRGB stripes: 2 x 3-Pin

• Voltage aRGB LEDs: 5 V

• Max. current output aRGB LEDs: 6A / 30W

• Voltage fan connectors: 12 V

• Max. current output fans: 3A / 36W

Scope of delivery

- 1 x Eis-Matrix Digital RGB LED fan Controller
- 1 x Infrared remote control (with battery)
- 1 x Mainboard adaptor cables
- 1 x 5-Pin to 4-Pin PWM + 3-Pin JST Adaptor
- 1 x SATA power connector

Additional Information

Brand	Alphacool
SKU	AC-15368
Weight	0.2000
Color	Black
Fan Accessory Type	PWM Fan Hub
Shape	Rectangle
Vendor SKU/EAN	4250197153683
Special Price	\$14.95

