



BARROWCH

Barrow Choice Compression Fitting - 16mm OD Rigid Tubing - Matte Black

\$4.50

Product Images



One rigid tubing fitting with
anti-shedding can bear up
to **15KG** pulling force



Use super-thick special-shaped rubber ring
to effectively prevent tube falling off

P/N:TFYKN2-T16

BARROW

One rigid tubing fitting with
anti-shedding can bear up
to **15KG** pulling force



Use super-thick special-shaped rubber ring
to effectively prevent tube falling off

P/N:TFYKN2-T16

BARROW

One rigid tubing fitting with
anti-shedding can bear up
to **15KG** pulling force



Use super-thick special-shaped rubber ring
to effectively prevent tube falling off

P/N:TFYKN2-T16

Short Description

These Barrowch Choice Series Fitting-OD of 16mm Compression fittings from Barrowch have a 16mm OD and are meant for Rigid tubing.

Description

These Barrowch Choice Series Fitting-OD of 16mm Compression fittings from Barrowch have a 16mm OD and are meant for Rigid tubing.

Choice series 16MM rigid tubing fitting

Cool/High efficiency/Heat sinking/Professional



Brass material



Exquisite diamond pattern



Ultra-thick silica gel ring




Adapt to 16MM external diameter

The super strong bearing capacity

One rigid tubing fitting with anti-shedding can bear up to 15kg pulling force.

01



Ultra-thick silica gel ring

Adopt ultra-thick silica gel ring, it can enhance the friction with tube walls and prevent tube falling off.


02



Convenient and fast

After cutting tube well, can install and do not need to chamfering.

03



Hidden inner hexagon

The structure is hidden inner hexagon, it is save effort and firmer to tighten it by wrench.

04



Strict material selection

The whole adopt GB H59 brass, it is high strength, no deformation and good texture.


05



Exquisite diamond pattern

Diamond pattern can effectively improve the beauty of the fitting, enhance fitting friction and improve the user experience.

06



Specifications

Installation tutorial

安装教程



1.Put out the port of tube tidily.



2.Put on the fitting ring, and put the rubber ring on the port of tube.



3.Put the rubber ring and tube tidily into the fitting body.



4.Tighten the fitting ring, lock the tube and complete the installation.

Purchase information

购买须知

1. Material: Brass;
2. Dental gauge: G1/4;
3. Maximum outside diameter: 24MM;
4. Use super-thick special-shaped rubber ring to effectively prevent tube falling off and effectively enhance the friction with the tube wall;
5. After cut the tube, and installation without chamfer is convenient and fast;
6. It is hidden inner hexagonal groove structure, tightened by wrench tool, saves labor and is more firm;
7. Buy 10 fitting products and distribute a wrench tool;
8. In case product appearance upgrade, without further notice, prevail in kind.

Additional Information

Brand	Barrowch
SKU	TFYKN2-T16-BK
Weight	0.1000
Special Order	No
Fitting Type	Rigid Compression
Fitting Size	16mm
Fitting Angle	Straight
Fitting Finish	Matte Black
Vendor SKU/EAN	6937826614170

