

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter





Watch Our YouTube





\$3.95

### **Product Images**





# **Short Description**

Hidden within the six angle groove structure, through screw wrench tool, saving more firmly. The minimalist design, the surface is smooth, without knurling, get rid of the tedious configuration. The structure design of science, Aluminum Alloy part only fastening applications, and water without direct contact, not corrosion caused copper mixed environment. Super protection, 3 layers of sealing ring structure, to prevent leakage of hidden dangers.

### Description

Hidden within the six angle groove structure, through screw wrench tool, saving more firmly. The minimalist design, the surface is smooth, without knurling, get rid of the tedious configuration. The structure design of science, Aluminum Alloy part only fastening applications, and water without direct contact, not corrosion caused copper mixed environment. Super protection, 3 layers of sealing ring structure, to prevent leakage of hidden dangers. The main body of the joint has a hidden type six angle groove structure, which can be conveniently installed and disassembled with the aid of the 8MML type six angle wrench tool.

## **Specifications**

• Material: Brass

• Internal size: 14mm

Max outside diameter: 22MM

• Quantity: 1PCS / group

#### Additional Information

Brand	Barrow
SKU	TLGYKN-14-BK
Weight	0.1000
Special Order	No
Fitting Type	Rigid Compression
Fitting Size	14mm
Fitting Angle	Straight
Fitting Finish	Matte Black
Vendor SKU/EAN	6937826604553

\_

