

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter











\$69.95

Product Images







4/19/24

Short Description

Bitspower Touchaqua Notos Xtal 120 Fan Digital RGB (3PCS)

The Notos Xtal is the newest member of the Bitspower Notos family. Featuring a unique diamond-cut design, the brand new Bitspower Touchauqa Notos Xtal 120 DRGB Fan not only provides the most efficient cooling - it also offers fantastic digital RGB effects.

Description

Bitspower Touchaqua Notos Xtal 120 Fan Digital RGB (3PCS)

The Notos Xtal is the newest member of the Bitspower Notos family. Featuring a unique diamond-cut design, the brand new Bitspower Touchauqa Notos Xtal 120 DRGB Fan not only provides the most efficient cooling - it also offers fantastic digital RGB effects.



With a maximum speed of 1800RPM, which can be adjusted via the supported PWM, the 120x120x25mm fan is well suited to be paired with our radiators for efficient cooling. Equipped with vibration canceling rubber pads on all four corners, rattling noises will be a thing of the past while you game, stream, watch a movie or work.

RGB enthusiasts will be pleased to know that the Notos Xtal 120 DRGB Fan features digital RGB LEDs around the fan frame, providing stunning lighting effects. In addition to being able to "daisy chain" the RGB interface of your fans, Bitspower Touchaqua have also had the product certified by ASUS AURA Sync, GIGABYTE RGB Fusion 2.0, MSI Mystic Light Sync, ASRock Polychrome, Biostar VIVID LED DJ and Razer Chroma, to ensure fully synchronized lighting of your system.

** Please note that this fan needs a motherboard digital RGB header or a controller to run. It is meant as an addon to SKU's: BPTA-NTX1218D3 or you need to add a controller: BPTA-DRGBMFC and PWM hub: BPTA-DRGBMFC.

Features

Features:


- 1.Support 10 Fans with PWM Function.
- 2.Direct control from BIOS or Motherboard software, when hub linked to Motherboard.
- 3. Power supply from SATA Connected.
- 4.LED Light for Power On.
- 5. Separate Capacitor to provide more stable current for PWM Fans.
- 6.Easy to Install in Chassis.

I wanna show off, but what's the support I'd need?

◆DRGB

2

The end of power supply is 3PIN. The sequence is $+/D/\downarrow$ (some motherboards are shown $+5V/D/\downarrow$, and the plug is like 4PIN but the 3rd PIN is empty). Please plug in the corresponding direction of motherboard, controller or the wire integrator for one to many. If choosing the motherboard as the power supply, the light effect can be synchronize with MB.





Specifications

Included:

• 1pcs of BPTA-NTX1218D3

Specifications:

• Rated Voltage: DC 12V.

Operation Voltage: Fan DC12V /LED DC 5V

• Staring Voltage: Fan DC 7V

• Fan Speed: 800~1800 RPM±10%

• Noise Level: 25Dba max:28Dba

Airfiow: 41-44 CFM(Max.)

• Life time:30000 Hours

• No.of Blades: 7 leaves

• LED Light Bar: 8pcs

• Color: Black

Operating Temperature : <70°CInput : SATA Connected Connection

• Socket: Small Four Pin

If there aren't enough DRGB headers on the motherboard, you can use the "Bitspower Touchaqua Digital RGB Multi Function Controller", which is available for purchase HERE.

*** Bitspower reserves the right to change the product design and interpretations. These are subject to change without notice. Product colors and accessories are based on the actual product. ***

*** From 15th March 2018, all of our installation guides will be provided electronically via an easy-to-use QR code attached to the packaging. ***

*** Before filling in the water, please make sure all the components are installed correctly. To prevent any leakage which may damage the PC components, please perform a 24-hour leaking test with only the pump connected to the power supply. ***

Additional Information

Brand	Bitspower
SKU	BPTA-NTX1218D3
Weight	2.0000
Color	Black
Fan Dimensions	120mm
Fan Width	25mm
Fan Connection	4-Pin
Fan Voltage	12 VDC
Fan RPM	1800
Fan CFM	44
Fan Noise (dB)	28
LED Color	Addressable/Digital RGB
Vendor SKU/EAN	4712914786067

