


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222







www.performance-pcs.com sales@performance-pcs.com

# Bitspower Touchaqua NOTOS O 120 PWM Fan Digital RGB (5PCS)

## \$75.99

#### **Product Images**





#### Short Description

The Notos O 120 DRGB Fan has been uniquely designed by Bitspower Touchaqua in order to provide the most efficient cooling at a fantastic price. With a maximum speed rate of 1800RPM, which can be adjusted via the supported PWM, the 120x120x25mm fan is well suited to be paired with our radiators for efficient cooling. Equipped with vibration cancelation rubber pads on all four corners, rattling noises will be a thing of the pasty while you game, stream, watch a movie or work.

Bitspower Touchaqua NOTOS O 120 PWM Fan Digital RGB (5PCS)

The Notos O 120 DRGB Fan has been uniquely designed by Bitspower Touchaqua in order to provide the most efficient cooling at a fantastic price. With a maximum speed rate of 1800RPM, which can be adjusted via the supported PWM, the 120x120x25mm fan is well suited to be paired with our radiators for efficient cooling. Equipped with vibration cancelation rubber pads on all four corners, rattling noises will be a thing of the pasty while you game, stream, watch a movie or work.

RGB enthusiasts will be pleased to know that the Notos O 120 DRGB Fan features digital RGB LEDs around the center axel and the fan frame, providing stunning lighting effects. In addition to being able to "daisy chain" the RGB interface of your fans, Bitspower Touchaqua has also had the product certified by ASUS AURA Sync, GIGABYTE RGB Fusion, MSI Mystic Light Sync, ASRock Polychrome, and Razer Chroma to ensure fully synchronized lighting of your system.

#### Features

Support 10 Fans with PWM Function.
Direct control from BIOS or Motherboard software, when hub linked to Motherboard.
Power supply from SATA Connected.
LED Light for Power On.
Separate Capacitor to provide more stable current for PWM Fans.
Easy to Install in Chassis.

#### **Specifications**

Included : 5pcs of BPTA-NTO1218D3 1pcs of BPTA-DRGBMFC 1pcs of BPTA-PFANMFH

Color : Black Input Voltage : 12V Operating Temperature : <70°C Input : SATA Connected Connection Socket : Small Four Pin Rated Voltage: Fan DC12V /LED DC 5V Operation Voltage: 7V-13.2V Staring Voltage: ≤7V Fan Speed: 800~1800 RPM±10% Noise Level: 25~28dBA(Max) Life time: 30000 Hours No.of Blades: 7 leaves \*\*\* Bitspower reserves the right to change the product design and interpretations. These are subject to change without notice. Product colors and accessories are based on the actual product. \*\*\*

### Additional Information

Brand	Bitspower
SKU	BPTA-NTO1218D5
Weight	3.0000
Color	Black
Fan Dimensions	120mm
Fan Width	25mm
Fan Connection	4-Pin
Fan Voltage	12 VDC
Fan RPM	1800
Fan Noise (dB)	28
LED Color	Addressable/Digital RGB
Vendor SKU/EAN	4712914785794

