



Alphacool tube

AlphaTube TPV 16/10 - Black Matte 3,3m (10ft) - Retail Box

\$19.50

Product Images



Short Description

Every water cooling system requires either soft or hard tubing to connect the individual components such as radiators, waterblocks and reservoirs. PVC is usually used for soft tubing it has many fantastic properties that make it easy to work with and it is cheap. However, Alphacool is now bringing a new material from the Alphacool Enterprise Solutions series across to the everyday user. This tubing is called Alphacool AlphaTube TPV and is the choice of tubing for industries.

Description

Every water cooling system requires either soft or hard tubing to connect the individual components such as radiators, waterblocks and reservoirs. PVC is usually used for soft tubing it has many fantastic properties that make it easy to work with and it is cheap. However, Alphacool is now bringing a new material from the Alphacool Enterprise Solutions series across to the everyday user. This tubing is called Alphacool AlphaTube TPV and is the choice of tubing for industries.

What is the advantage of TPV?

Compared to PVC hoses, the AlphaTube TPV hoses offer various advantages for water cooling. It is much more resistant to acids and alkalis. It is also much more temperature resistant than PVC tubing. The Alphacool AlphaTube TPV can withstand temperatures up to 155°C. While PVC hoses begin to warp at higher water temperatures. This means areas with tighter bends will warp but the TPV hose remains stable in its shape. This eliminates the risk of kinks in tubing and the restriction of flow.

How is AlphaTube TPV installed?

The Alphacool AlphaTube TPV hose is as easy and simple to install as any other PVC hose. It is slightly stiffer, but only very slightly. Handling the TPV hose is just as simple as any other soft tubing.

What is special about a tpv hose?

The Alphacool AlphaTube TPV is characterised by its high resistance to acids, bases and external influences. In addition, the hose has an extraordinary longevity that far surpasses that of PVC hoses. The matt black hose also offers a discreet velvet look. An eye-catcher in every water-cooled PC.

Specifications

Technical Data:

Material: Thermoplastic vulcanizates, EPDM/PP

Length: 3,3 m

Colour: Matt black

Operating temperature: -50 to + 155°C

Hardness: 35 Shore-A to 50 Shore-D

Size: 16/10 mm

Technical Details:

Color:	black
Manufacturer:	Alphacool
UV - color:	Non UV-active
Max. Operating pressure:	4 Bar (at 20°C)
Length:	3,30m
Material:	TPV (EPDM)
Service temperature:	-50°C bis 155°C

Outer diameter:

16mm

Inner diameter:

10mm

Additional Information

Brand	Alphacool
SKU	AC-17490
Weight	1.5000
Color	Black
Tube Type	TPV
Tube Size	3/8" x 5/8" (10mm x 16mm)
Material	EPDM
Delivery	Retail Box
Vendor SKU/EAN	4250197174909

