




Alphacool NexXxoS ST25 Full Copper 360mm Radiator

\$80.95

Product Images





Short Description

As usual, Alphacool uses pure copper for the NexXxoS ST25 slim radiators. The end chambers, the water channels and the cooling fins are all made of copper, a unique selling point worldwide. No other manufacturer relies on pure copper for all these components combined. As a result, Alphacool has been producing one of the most popular and highest performing radiators on the market for many years, providing the perfect foundation for every water cooling system.

Description

Alphacool is an internationally renowned company in the field of water cooling solutions for both industrial and home users. To ensure that customers receive the best products available, Alphacool is constantly developing new products and making improvements to existing products.

Make No Compromises, Use Copper.

As usual, Alphacool uses pure copper for the NexXxoS ST25 slim radiators. The end chambers, the water channels and the cooling fins are all made of copper, a unique selling point worldwide. No other manufacturer relies on pure copper for all these components combined. As a result, Alphacool has been producing one of the most popular and highest performing radiators on the market for many years, providing the perfect foundation for every water cooling system.

Full Cooling Capacity

To maximize the performance of a radiator, Alphacool reaches deep into its bag of tricks. Copper is the starting point. With a thermal conductivity of 400 W/(mK) for copper compared to 236 W/(mK) for aluminium, the winner is clear. Alongside this is the special fin density. Alphacool is one of the oldest companies in the field of water cooling and has carried out countless laboratory tests. The result is a fin spacing of 15 FPI. This means that the air flow is only slightly obstructed as the air can pass through even without high pressure. However, the cooling capacity does not suffer from this, on the contrary. To use the airflow optimally, all cooling fins have small serrations. These are tiny flaps that guide the airflow in the desired direction and increase the surface area. In the case of radiators, they are barely 1 mm high, but still provide controlled air turbulence to increase cooling capacity and minimise airflow noise.

Compact

The ST25 slim radiators offer the ideal liquid cooling solution for Mini-PCs or SSF (Small Form Factor) systems. Due to the extremely flat design, the NexXoS ST25 radiators are ideal for such small cases and due to the reduced size, they give you the extra space you need to work in the case.

Safety first

The NexXoS ST25, like the previous NexXoS radiators, offer special protection that prevents fan or mounting screws from being screwed in too deeply. Protective plates have been placed under all mounting holes which ensure the screws cannot be inserted too far. This protects the underlying cooling fins and water channels.

Specifications

Technical data:

LxWxH: 363 x 120 x 25,5 mm

Material: copper

Material outer housing: steel

Fins per Inch: 15

Threads: 2 x G1/4"

Thread size fan mounting: M3

Fan size: 120 mm

Fan slots: 3 single sided / 6 double sided

Technical details:

Color: black

Manufacturer: Alphacool

Connector: 2x G1/4

Fan size: 120mm

Number of fans: 3, 6

Radiator fins material: Copper

Cooling channels: Copper

Fan mounting thread: M3

Case: Steel

Pressure tested: 2 Bar

Thickness: XS - 25mm

Fins per inch: 15

Dimensions (L x B x H): 363 x 120 x 22,5 mm

Additional Information

Brand	Alphacool
SKU	AC-14354
Weight	3.0000
Color	Black
Radiator Size	360 (3 x 120mm)
Radiator Thickness	25mm
Vendor SKU/EAN	4250197143547

