


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222







www.performance-pcs.com sales@performance-pcs.com

Alphacool NexXxoS XT45 Full Copper 1080mm Nova Radiator

\$122.95

Product Images





Short Description

Alphacool NexXxoS XT45 1080mm Nova! 35 x 35 x 45 cm of pure cooling surface for nine 120mm or four 200 mm fans. Only one other Alphacool Radiator offers more cooling surface in one unit. The Alphacool NexXxoS XT45 1260 SuperNova Radiator.

Description

Would you like a little more?

Alphacool NexXxoS XT45 1080mm Nova! 35 x 35 x 45 cm of pure cooling surface for nine 120mm or four 200 mm fans. Only one other Alphacool Radiator offers more cooling surface in one unit. The Alphacool NexXxoS XT45 1260 SuperNova Radiator.

Make No Compromises, Use Copper.

As usual, Alphacool also uses pure copper for the NexXxoS 1080 SuperNova Radiator. The end chambers, water channels and cooling fins are all made of copper and are a unique selling point worldwide. As a result, Alphacool radiators have been among the most popular and best on the market for many years, providing the perfect foundation for every water cooling system.

Full Cooling Capacity

To maximize the performance of a radiator, Alphacool reaches deep into its bag of tricks. Copper is the starting point. With a thermal conductivity of 400 W/(mK) for copper compared to 236 W/(mK) for aluminium, the winner is clear. Alongside this is the special fin density. Alphacool is one of the oldest companies in the field of water cooling and has carried out countless laboratory tests. The result, especially for such large radiators, is a fin spacing of 12 FPI. This means that the air flow is almost unobstructed as the air can pass through even without high pressure. However, the cooling capacity does not suffer from this, on the contrary. To use the airflow optimally, all cooling fins have small serrations. These are tiny flaps that guide the airflow in the desired direction and increase the surface area. In the case of radiators, they are barely 1 mm high, but still provide controlled air turbulence to increase cooling capacity and minimise airflow noise.

Which fans?

The 1080 Nova radiator has space for nine 120 mm fans on the mounting frame. If you want to operate the radiator passively, you can remove the mounting plate in order not to obstruct the natural airflow. Of course, the mounting plates for both types of fans can also be interchanged. This gives you more freedom when mounting the fans.

Connection options

The Alphacool NexXxoS Nova Radiator offers two G1/4" threads for IN and OUT. A further G1/4" thread on the back of the radiator serves as a fill port. Alternatively, a temperature sensor or a drain port can also be attached here.

It's a big boy! Only one other radiator in Alphacool's portfolio can match the performance of the Nova radiator. With nine 120 mm fans and a pure cooling surface of 35 x 35 cm, the Nova name says it all.

Specifications

Technical data: L x W x H: 378 x 360 x 46,5 mm Net weight: 2588 g Material cooling fins: copper Material cooling channels: copper Prechamber material: copper Material outer housing: steel Fins per Inch: 12 Threads: 3 x G1/4" Thread size fan mounting: M3 Fan size: 120 mm Fan slots: 9 Pressure tested: 0,8 bar Certificates: CE, FC, RoHS

Technical details:

Color:	black
Manufacturer:	Alphacool
Thickness:	M - 45mm
Radiator fins material:	Copper
Cooling channels:	Copper
Fan mounting thread:	M3
Case:	Steel
Fins per inch:	12
Pressure tested:	1,5 Bar

Number of fans:	2
Fan size:	200mm
Connector:	5x G1/4

Additional Information

Brand	Alphacool
SKU	AC-14349
Weight	7.5000
Color	Black
Radiator Size	1080mm (9x120mm)
Radiator Thickness	45mm
Vendor SKU/EAN	4250197143493

