

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter







Deluxe Automatic Wire Stripper - Multifunctional Stripping Tools/Crimping Pliers (Terminal 0.2-6.0mm2) Tool

\$19.95

Product Images

















Short Description

Take the guesswork out of stripping solid, stranded, and Romex wire with this Deluxe Self-Adjusting Wire Stripper / Cutter. As the name suggests, this tool features a self-adjusting stripping head for quick, precise wire stripping. It's especially useful in panels and other places where multiple types and sizes of wire are present.

Description

Take the guesswork out of stripping solid, stranded, and Romex wire with this Deluxe Self-Adjusting Wire Stripper / Cutter. As the name suggests, this tool features a self-adjusting stripping head for quick, precise wire stripping. It's especially useful in panels and other places where multiple types and sizes of wire are present.

Features

Features:

- Product name: 8 inch multifunctional automatic wire stripper
- · Length: 205mm
- Material: head: zinc alloy head: Cr12MoV, hardness HRC55-60, wire cutting process.
- Pliers: A3 heat-treated handle: PP + TPR Features:
- Stripping range: 24-10AWG / 0.2-6mm2;
- Crimping of cutting function terminals:
- insulated terminals 22-10AWG/0.5-6mm2
- Non-insulated terminals 12-10AWG/4-6mm2
- Non-insulated terminals crimped: 16-14AWG/1.5-2.5mm2
- Non-insulated terminals crimped: 22-18AWG/0.5 -1mm2

Specifications

Specifications:

- Brand Name: DIDIHOU
- Origin: CN(Origin)
- DIY Supplies: Electrical
- is_customized: No
- Material: Carbon Steel
- Handle Style: Straight
- Plier Style: European
- Application: Wire Stripper
- Model Number: HS-D1
- Features: Multifunctional
- Type: Decrustation Pliers
- attribute: Crimping pliers
- Crimping: 10-22AWG 0.5-6.0mm2
- Wire stripping: 10-24AWG 0.2-6.0mm2
- Application: Wire stripper/cut wire/crimp termi
- Grip material: Non-slip
- Cutting rang: 10-24AWG 0.2-6.0mm2

How to use the adjustment screw:

- 1. Rotate the adjustment screw to adjust the bite force of the blade, decrease counterclockwise, increase clockwise
- 2. When stripping the thin thread, adjust the screw counterclockwise.
- 3. If the wire is broken, please adjust the screw counterclockwise.
- 4. If it is difficult or impossible to peel off, please adjust the screw clockwise.

Additional Information

Brand	AE
SKU	HS-D1
Weight	2.0000
Color	Yellow
Tool Type	Extractors, Crimpers & Cutters

