



ASUS ROG Strix Helios GX601 Mid-Tower Case (Black)

\$299.95

Product Images



Premium Aesthetics

Three smoked tempered-glass panels, refined brushed aluminum frame and integrated front panel Aura Sync RGB lighting



Easy Cable Management

Multifunction cover with GPU brackets, PSU shroud and translucent rear cover for an effortlessly tidy build



Versatile Graphics Card Mounting


Fit up to three graphics cards in standard orientation or two vertically for flexible layout options



* Components listed not included

Ready for Serious Cooling

Supports up to EATX motherboards with space for custom water-cooling loops, up to 420mm radiators and up to seven (7) fans



Rugged Case Handles

Carry your ROG build to LAN parties with strong and stylish fabric handles that support up to 110 lbs



Removable Dust Filters

Removable filters on the top, front and underside provide all-round protection from dust plus easy cleaning and maintenance



Advanced Front I/O Panel

Featuring four USB 3.1 Type A ports, reversible USB 3.1 Type-C port, Audio ports, dedicated fan speed and RGB lighting controls



Personal Style Redefined

Sync RGB lighting and effects across Aura Sync compatible devices, including PCs, monitors, headsets, lighting strips, SSDs and more!



*Products sold separately

Short Description

Display your build or take it on the go with the black ROG Strix Helios GX601 Mid-Tower Case from ASUS. Utilizing a mid-tower design, this case supports E-ATX, ATX, micro-ATX, and mini-ITX boards. A drive cage supports two 2.5/3.5" drives. Four drive plates allow 2.5" drives to be installed on the side of the case, and an internal mounting position accommodates a fifth 2.5" drive.

Description

Display your build or take it on the go with the black ROG Strix Helios GX601 Mid-Tower Case from ASUS. Utilizing a mid-tower design, this case supports E-ATX, ATX, micro-ATX, and mini-ITX boards. A drive cage supports two 2.5/3.5" drives. Four drive plates allow 2.5" drives to be installed on the side of the case, and an internal mounting position accommodates a fifth 2.5" drive. Users can also install up to two or four more optional 2.5/3.5" or 2.5" bays, respectively, for even greater storage capabilities. This case also features eight horizontal and two vertical expansion slots, and GPUs up to 17.72" are supported. ATX PSUs and CPU coolers up to 8.66 and 7.48", respectively, are also supported.

The ROG Strix Helios comes with four preinstalled 140mm fans, including three at the front and one at the rear. Users can install additional fans at the top of the case for improved airflow, or go the liquid cooling route by installing radiators. Radiators up to 140, 360, and 420mm are supported at the rear, top, and front of the case. If installing radiators at the top or front of the case, the combined thickness of the radiator and fan should not exceed 2.36 and 3.54", respectively.

Featuring an aluminum and steel construction, the Helios sports a tempered glass panel with quick-release switches. An integrated fan controller allows you to adjust fan speed and the case lighting effect, including the RGB logo on the front of the case. Removable filters at the front, top, and bottom of the case prevents dust from getting inside the case and keeps your build looking clean. Further facilitating a clean look, a 1.30" cable routing space helps keep extra wiring out of sight. On the top I/O panel, users can take advantage of a

USB 3.1 Gen 2 Type-C port and four Gen 1 Type-A ports, as well separate 3.5mm ports for audio input and output. The ASUS ROG Strix Helios features fabric handles for easy transport.

5

Aura Sync RGB Lighting

Featuring integrated addressable RGB LEDs in the front panel that can be customized using a dedicated control button or with Aura software, the ROG Strix Helios can use millions of colors and a range of effects.

Translucent Rear Cover

A translucent rear cover conceals unsightly wiring and allows illumination from the optional ROG Aura Terminal, SSDs, or other devices with RGB lighting to shine through.

Two-Piece PSU Shroud

The flexible two-piece PSU shroud has a front cut-out to enable compatibility with ROG Thor or other OLED-integrated power supplies, available separately.

Multifunction Cover

A multifunction cover with GPU braces hides cabling, provides support to graphics cards, and allows for an SSD to be mounted for display. Its position can be adjusted to accommodate an ATX or E-ATX motherboard.

Removable Mounting Brackets

Two removable brackets let you easily mount fans and radiators before installing the whole unit into the case, simplifying your building experience.

Side-Panel Release Buttons

One push of the release buttons at the rear of the case lets you swing down the side panels for toolless access to the interior. The tempered-glass panels are bottom-hinged, meaning they will remain supported at an angle until you're ready to detach them completely.

Multi GPU Support

Fit up to three graphics cards in standard orientation, or two vertically for extra showcase flair using the included bracket.

Note:

A riser cable is required for vertical GPU mounting and is sold separately.

Front I/O Panel

In addition to a reversible USB 3.1 Type-C port, the front I/O panel also features dedicated controls for fan speed and RGB lighting.

ASUS Helios GX601 Specs

Compatibility

Motherboard Support	ATX, E-ATX, Micro-ATX, Mini-ITX
External Drive Bays	None
Internal Drive Bays	2 x 2.5/3.5" And 4 x 2.5"
Additional Drive Mounting	1 x 2.5" (Side)
Expansion Slots	8 x Full Height + 2
Maximum GPU Length	17.72" / 450 mm
CPU Cooler Height	7.48" / 190 mm
Supported PSU Size	ATX
Maximum PSU Length	8.66" / 220 mm

Cooling

Fan Mounting (Front)	3 x 120 mm Or 3 x 120 mm
Fan Mounting (Rear)	1 x 120 mm Or 1 x 140 mm
Fan Mounting (Side)	None
Fan Mounting (Top)	3 x 120 mm Or 2 x 140 mm
Fan Mounting (Bottom)	None
Fans Included (Front)	3 x 140 mm
Fans Included (Rear)	1 x 140 mm
Fans Included (Top)	None
Maximum Radiator Size (Front)	420 mm
Maximum Radiator Size (Rear)	140 mm

Maximum Radiator Size (Top)	360 mm
Fan Controller Included	Yes
Filter Locations	Bottom, Front, Top
I/O	
Connections	1 x USB Type-C (USB 3.1 / USB 3.2 Gen 2) 4 x USB Type-A (USB 3.1 / USB 3.2 Gen 1)
Media Card Slots	<i>None</i>
Audio Connections	1 x 3.5 mm Input 1 x 3.5 mm Output
Display Connections	<i>None</i>
Physical	
Windowed Panel	Yes
Material	Aluminum, Steel, Tempered Glass
Built-In Lighting	Yes
Cable Management Space	1.30" / 33 mm
Dimensions (W x H x D)	9.84 x 23.27 x 22.24" / 250 x 591 x 565 mm
Weight	39.68 lb / 18 kg
Warranty Length	Limited 2-Year Warranty
Packaging Info	
Package Weight	46.7 lb
Box Dimensions (LxWxH)	29 x 27.5 x 15.3"

Additional Information

Brand	ASUS
SKU	STRIXHELIOSCASE
Weight	50.0000
Color	Black
Chassis Form Factor	Full Tower
Side Panel	Window
Motherboard Support	ATX, E-ATX, HPTX, Micro ATX
Material	Steel
Vendor SKU/EAN	0192876245774

