


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222








www.performance-pcs.com sales@performance-pcs.com

# Aerocool Silver Lightning Silent White 120mm LED Fan - Sleeved

Special Price \$5.99 was \$14.95

# **Product Images**



## Short Description

Great new Silver Lightning series of fans from Aerocool are uniquely different then any other on the market. These fans have 4 bright white LED's while the blades have an iridescent coating making the fan look "icy cool" to the eye. Fan series includes fans in 80, 92, 120 and 140mm sizes. Silver Lightning Fans are cool and quiet and just the right choice for those wanting something totally different for their cases!

Fan cable is fully covered in nylon Techflex sleeving and premium heatshrink, colors of your choice!

Great new Silver Lightning series of fans from Aerocool are uniquely different then any other on the market. These fans have 4 bright white LED's while the blades have an iridescent coating making the fan look "icy cool" to the eye. Fan series includes fans in 80, 92, 120 and 140mm sizes. Silver Lightning Fans are cool and quiet and just the right choice for those wanting something totally different for their cases!

Fan cable is fully covered in nylon Techflex sleeving and premium heatshrink, colors of your choice!

#### Features

0

## Specifications

- Dimension: 120x120x25 mm
- Rated Voltage: 12 VDC
- Operating Voltage: 10.2-13.8 VDC
- Air Flow: 65 CFM
- Static Pressure: 0.065 Inch-H2O
- Input Current: 0.33 A (MAX.)
- Input Power: 3.96 W
- Speed: 1,500 RPM±10%
- Noise: 26.58 dBA
- Weight: 130 grams
- Operating Temperature: -10 degrees centigrade to +70 degrees centigrade
- 12 Sleeve Bearing

# Additional Information

Brand	Aerocool
SKU	AC-SL120-D
Weight	0.5000
Color	Clear
Fan Dimensions	120mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	1500
Fan CFM	65
Fan Noise (dB)	27
LED Color	White
Vendor SKU/EAN	841269042536
Special Price	\$5.99

