

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





See Our Instagram







# Alphacool AGB-Eheim 600 Station II 12V

\$49.99 was \$89.95

## **Product Images**











### **Short Description**

Submerged pump station including Eheim compact 600 pump with 12 Volts. You can connect the pump station directly to the power pack. The tank is made up of polycarbonate, which makes it highly resistant to destruction.

#### Description

#### New version!!

Submerged pump station including Eheim compact 600 pump with 12 Volts. You can connect the pump station directly to the power pack. The tank is made up of polycarbonate, which makes it highly resistant to destruction. The cover is made of Plexiglas. The Eheim Compact 600 submerged pump has a delivery performance of 600 I/h, and a lifting height of 130cm. The container is provided with 1/4" connections and can be equipped with various adapters. The pump is mounted in such a way, so that the vibrations at the outlet are damped by an O-ring sealing, as well as by means of rubber footings. The filling hole has a diameter of 42mm (G1" - oil inspection glass), for a comfortable filling. The pump can be taken out together with the cover. For a bubble-free operation, there is a Plexiglas hose extension at the inlet, so that water runs back into the hose after switching-off the pump - and no air. The container has 2x5mm LED bores in the cover in order to give it an individual body structure. The new Eheim Station II is smaller and thus space saving, it fits even into 3,5"- slots.

The add-on card for the Alphacool AGB-Eheim 600 Station II is to power the pump up with a 4-pin molex right out of the power supply. With this add-on card, no additional power cable is necessary, no adapter for different voltage is needed. Just plug the PSU molex to the add-on card, and the pump starts when you fire up your PC. And it stops when you shut it down.

The socket at the back of the PCI Slot card is meant for use of 12 Volts outside the case. No 230 Volt high voltage converter!!

## Specifications

- Dimensions of the submerged pump container:
- Width: 80cmHeight: 102cm
- Depth: 93mm (with execution 114mm)
- Connections: 2x G1/4" internal screw-thread
- Filler plug: G1"-oil inspection glass
- Pump capacity: 600 l/hLifting height: 1.3 m
- Power input: 11 Watt
- Others: 2x5mm LED drilling holes in the cover, 12V DC/AC PCI Slot-card is included in delivery!

The water tank is delivered without connections!

Please order your wished connections under Hoses&Connections!

Connection of the pump/card:

The two ends of the pump circuit are connected to the screw clamps. Thus it doesn't matter at which end sleeve the circuit is connected. The card is connected to the power pack just like any other drive.

## Additional Information

Brand	Alphacool
SKU	AC-15127-D
Weight	2.5000
Color	Clear
Reservoir Type	Free Standing Tank
Pump Type	Eheim
Vendor SKU/EAN	4250197151276
Special Price	\$49.99



4/17/24