

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter







Je Silicone Wire 18 AWG UL3132 Hook-up Stranded Wire Flexible 30 Gauge 300V Tinned Copper Rubber Insulated Electrical Wire 10m/Roll

As low as \$29.71 was \$34.95

Product Images







Short Description

Pure Silicone Super Flexible Wire: 30 strands per wire, featuring a durable silicone jacket

Description

- Pure Silicone Super Flexible Wire: 30 strands per wire, featuring a durable silicone jacket, this highly stranded tinned copper wire is a great alternative to more rigid PVC coated wire.
- Wide Application: Our super-flexible silicone wire has virtually an unlimited number of uses! It's perfect for wiring of electrical, electronic equipment, lighting, Industrial machines, Electric heating products, and other places of high temperature insulation protection.
- High Temperature Resistance: Our Silicone Wire retain their properties of temperatures ranging from -60 degree to 150 degree. Voltage Rating: 300 Volts.
- Characteristic: High temperature resistance, low temperature resistance, anti-acid and alkali, fire and aging resistance, the inoxidizability, resistance of humidity, the fine electric insulation and flexible performance.
- Certification: UL (E355578), RoHS, TS/16949.
- Colors Availavle: Black, Red, Yellow, White



2

Features

1. Model: UL3132-18AWG Stranded Wire

2. Conductor: Tinned copper

3. Insulator: Silicone rubber

4. Temperature Rating: -60 Celsius to +150 Celsius

5. Conductor specification: 30/0.18TS (Contains 30 copper wires with a diameter of 0.18mm)

6. Rated voltage: 300V

7. Resistance: 23.23 ohm/KM

8. Over diameter: 1.95mm

9. Thickness of insulator: 0.39mm

10. Available Colors: Red, Black, White, Green, Yellow, Blue

11. Applic ation: Wiring of electrical, electronic equipment, lighting, Industrial machines, Electric heating products, and other places of high temperature insulation protection.

Specifications

• Brand Name: currentman

Certification: RoHSCertification: ULOrigin: CN(Origin)

• Insulation Material: Rubber

• is customized: Yes

Conductor Material: Copper
 Model Number: UL3132-18AWG

• Conductor Type: Stranded

• Application: hook-up wire

Type: InsulatedGauge: 18AWG

Conductor: Tinned copperInsulator: Silicone rubber

• Temperature Rating: -60 Celsius to +150 Celsius

• Conductor specification: 30/0.18TS (Contains 30 copper wires with a diameter of 0.18mm)

• Rated voltage: 300V

Resistance: 23.23 ohm/KMOver diameter: 1.95mm

• Thickness of insulator: 0.39mm

• Available Colors: Red, Black, White, Green, Yellow, Blue

• Application: electrical, electronic equipment, lighting, Industrial machines ect.

Additional Information

Brand	AE
SKU	AE-18AWG-10M
Weight	0.2500
Vendor SKU/EAN	Custom Options

Product Options

Color:	Red
	Yellow

