



BARROW Barrow soft tube (ID3/8- OD5/8) - 1 Meter

\$1.49

Product Images



Description

High- quality PU

PU hose, high temperature and high pressure resistance, easy to operate in the special environment of water cooling system



Temperature resistance range-20°C-90°C

After 24-hour constant testing at the water temperature of 90°C, the pipe still has good physical properties and works well in the water-cooled environment under high temperature.




Smooth pipe wall, enjoy smoothness

The smooth inner wall can effectively reduce the water resistance of the pipe wall of the water cooling system to the cold liquid and improve the heat dissipation efficiency




Super toughness with strong bending resistance

The body of PU pipe has the features of super flexibility, small bending radius, strong bending resistance and high resilience




Convenient to operate and easy to install

Without complicated piping design, it can be used by just connecting the connector, and it is the best choice for beginners



Appearance size



Specifications

RGTP-H

Barrow PU temperature soft tube (ID3/8-OD5/8)



Tools



Antifriction and
wearable



Environmental friendly
non-toxic



Convenient and
fast

◇ Products information

Product model:RGTP-H	Color: Transparent
Product specification: 1M	Temperature resistance range: -20°C-90°C
Product Material: PU	Pipe diameter size: please refer to the size chart
Application: Split type water-cooled inner coolant for diversion	
Note: The hose should be cut to a flat end to get the best sealing	

Additional Information

Brand	Barrow
SKU	RGTP-H
Weight	0.5000
Color	Clear
Tube Type	Polyurethane
Tube Size	3/8" x 5/8" (10mm x 16mm)
Vendor SKU/EAN	6937826614767

