

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











# Alphacool HF quick release connector kit G1/4 OT/OT

\$14.95

## **Product Images**







## **Short Description**

The Alphacool HF quick release coupling set TPV with two G1/4" male threads can be screwed directly onto components. Instead of mounting the quick connector on a tube via connectors, it can now be placed directly on a radiator or cooler to save space.

### Description

The Alphacool HF quick release coupling set TPV with two G1/4" male threads can be screwed directly onto components. Instead of mounting the quick connector on a tube via connectors, it can now be placed directly on a radiator or cooler to save space.

#### Made of nylon and not brass?

Nylon is extremely strong and the entire quick disconnect is ultra-lightweight with a total weight of only 20g. Additionally, nylon is non-conductive. This means you don't have to worry about the quick release coming into contact with any components during installation. This is because the temperature resistance of nylon is also extremely high.

#### Twist lock instead of click lock

The connector is compatible with all previous quick-release fasteners with twist locks. Furthermore, it offers a higher level of safety compared to a click lock, as it cannot pop open due to incorrect handling. The fixed screw connection cannot come loose without direct action. Thus, the quick-release fastener always remains firmly closed.

#### Double O-ring system

When closing the quick release, another O-ring is used in addition to the normal O-ring for safety. This is to protect against two possible problems. If for some reason the first O-ring should malfunction, a second O-ring secures the quick release to prevent water from escaping. When opening the quick release, it is easy to see a defect in the first O-ring. If you accidentally do not close the thread 100% when closing the quick release, then the second O-ring can also prevent leakage.

The Alphacool HF quick release coupling set is compatible with all Alphacool Eisbaer AlO systems, all Eissturm sets and the external cooling solution Eiswand.

## **Specifications**

Technical data

L x D: 65 x 28,2 mm Net weight: 20 g Material: Nylon Threads: 2 x G1/4" OT

Thread length: 5 mm Closure: Twist lock

# **Additional Information**

Brand	Alphacool
SKU	AC-17536
Weight	0.0600
Special Order	No
Fitting Type	Quick Disconnect Coupling
Fitting Size	G1/4 to G1/4
Fitting Finish	Matte Black
Vendor SKU/EAN	4250197175364

