

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter







Alphacool NexXxoS XT45 Full Copper 280mm Radiator V.2 - White Special Edition

\$109.95

Product Images















Short Description

The Alphacool NexXxoS V.2 Radiator series represents the next generation of high-end solid copper radiators.

Description

The Alphacool NexXxoS V.2 Radiator series represents the next generation of high-end solid copper radiators. They offer not only a new design (White Special Edition), but also technical highlights such as the patented locking screws, which are flush with the radiator.

Uncompromising choice of materials

As usual, Alphacool uses pure copper for the NexXxoS V.2 radiators White Special Edition. The end chambers, the water channels and the cooling fins are made of copper and are a unique selling point worldwide. No other manufacturer uses pure copper for all these components. As a result, Alphacool radiators have been among the most popular and best on the market for many years. The perfect foundation for any water cooling sy-stem.

Safety first

The NexXxoS V.2, like the previous NexXxoS radiators, offers special protection that prevents screws from penetrating the radiator when attaching fans or when mounting the radiator to the case. Protective plates have been placed under all mounting holes to prevent the screws from being screwed in too deeply. This protects the cooling fins and channels underneath.

The King is Dead, Long live the King. Those who were happy with the previous NexXxoS radiators will appreciate the many small improvements that the NexXxoS V.2 radiators offer. Now one of the best radiators has been made even better. Your system deserves them.

Features

Full cooling capacity

To maximize the performance of a radiator, Alphacool reaches deep into the trickbox. Copper is the beginning. With a thermal conductivity of 400 W/mK for copper, compared to 236 W/mK for alumini-um, the winner in this comparison is absolutely clear. The fin density is aso specially chosen to work for the user. Alphacool is one of the oldest companies in the field of water cooling and has carried out countless tests in the laboratory. The result is a fin density of 15 FPI. This means that the air flow is only slightly obstructed so that the air can move through without high pressure, however, the cooling capacity does not suffer from this. On the contrary. In order to make optimum use of the air flow, all cooling fins have small flaps on them. Some may know these from motorsport or aircraft design. Flaps are tiny wings that direct the airflow in the desired direction. With radiators, these are barely 1 mm high, but still provide controlled air turbulence to increase cooling performance and minimize flow noise.

Patented screw plugs

All NexXxoS V.2 radiators rely on the patented stop fittings from Alphacool. Anyone who has mounted a radiator on the front or in the ceiling of a housing knows that protruding screw plugs can ruin the aesthetic as the radiator cannot be placed flush. Alphacool offers a solution with the patented screw plugs. They are fully countersunk in the radiator and sit flush with its surface. This means that nothing stands in the way of clean installation. Of course, the radiators also look much more elegant with the locking screws.

Plenty of connection options

All versions of the NexXxoS V.2 radiators White Special Edition have two connection options for IN and OUT, one on each side. On the opposite side to the in/outlets the NexXxoS V.2 radiators now also have a fill or vent port. Of course, this connection can also be used to empty the water cooling loop. In any case, ex-perienced users will be pleased.

The right size for every application

The NexXxoS V.2 radiators of the White Special Edition are available in the sizes 280mm and 360mm, each as an ST30 or XT45 variant. The difference between the two is simply the thickness. ST30 stands for a thickness of 30 mm, XT45 for a thickness of 45 mm.

Specifications

Technical data

L x W x H 316,5 x 143 x 45,5 mm

Material cooling fins & channels, prechamber copper

Material outer housing steel

Fins per Inch 15

Threads 5x G1/4"

Fan size 140 mm

Fan slots 2 one-sided / 4 double-sided

Pressure tested 1,5 Bar

Max working temperature 180 °C

Additional Information

Brand	Alphacool
SKU	AC-11929
Weight	2.7000
Color	White
Radiator Size	280 (2 x 140mm)
Radiator Thickness	45mm
Vendor SKU/EAN	4250197119290

