

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





Follow Us Twitter







# Thermaltake A700 Aluminum Tempered Glass Edition Full Tower Chassis

\$349.99

## **Product Images**













# **Short Description**

A700 TG full tower case comes with two tempered glass panels, two preinstalled 140mm fans with one at the front and one at the rear, supporting motherboards up to E-ATX.

# Description



#### Thermaltake A700 Aluminum Tempered Glass Edition Full Tower

Thermaltake A700 Aluminum Tempered Glass Edition full tower chassis features a sleek aluminum front panel, two form tempered glass panels, two preinstalled 140mm fans. It has a built-in power supply cover for clean and easy cable management and also supports up to a standard E-ATX motherboard. Accommodating the latest PC hardware including the most advanced graphic cards and air/liquid cooling solutions, the A700 Aluminum TO incorporates vertical radiator & GPU mount, Patented Rotational PCIE slots, and the support for 200mm fans. It is a perfect lift for users who are looking for a feature-rich, modern, stylish chassis.





#### TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT Premium is far more than just at guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC bardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Divigue Design, Divi





## **Features**





## **Specifications**

P/NCA-1O2-00F9WN-00SERIESA SeriesMODELA700 TGCASE TYPEFull TowerDIMENSION (H X W X D)582 x 294 x 596 mm

(22.91 x 11.6 x 23.46 inch)

NET WEIGHT20.05 kg / 44.2 lbsSIDE PANEL5mm Tempered Glass x 2(Left & Right)COLORExterior & Interior : BlackMATERIALSPCCCOOLING SYSTEMRear (exhaust) :

140 x 140 x 25 mm fan

(1000rpm, 20dBA)

Front (intake):

140 x 140 x 25 mm fan

(1000rpm, 20dBA)

**DRIVE BAYS** 

-ACCESSIBLE

-HIDDEN

2.5" x 4 or 3.5"x 4 (HDD Rack)

2.5"x 6 or 3.5" x 3

EXPANSION SLOTS8MOTHERBOARDS6.7"  $\times$  6.7" (Mini ITX), 9.6"  $\times$  9.6" (Micro ATX), 12"  $\times$  9.6" (ATX), 12"  $\times$  13"(E-ATX)I/O PORTUSB 3.0  $\times$  2, USB 2.0  $\times$  2, HD Audio  $\times$  1, Type-C  $\times$  1PSUStandard PS2 PSU (optional)FAN SUPPORTFront:

3 x 120mm, 3 x 140mm, 2 x 200mm

Top:

3 x 120mm, 3 x 140mm, 2 x 200mm

Rear:

1 x 120mm, 1 x 140mm

Bottom:

2 x 120mm

**RADIATOR SUPPORTFront:** 

1 x 360mm, 1 x 420mm, 1 x 360mm(For 200mm fan)

Top:

1 x 280mm, 1 x 360mm

Rear:

1 x 120mm, 1 x 140mm

Right

1 x 360mm, 1 x 420mm (AIO: 1 x 360mm, 1 x 280mm)

Bottom: 1 x 240mm

CLEARANCECPU cooler height limitation: 200mm VGA length limitation: 310mm(With HDD Rack)

410mm(Without HDD Rack)

PSU length limitation: 220mm (Without Bottom Fan)


## Radiator Support List

## Radiator Compatibility List

	120mm	240mm	360mm	140mm	280mm	420mm	180mm	360mm
Front	•	•	•	•	•	•	•	•
Тор	•	•	•	•	•	-	•	•
Rear	•		-		9	-	9	-
Right				•	•		÷	-
Bottom			-	-	-	-	-	-

# All-in-One Compatibility List (Water 3.0 and Floe series)

	Perform	Pro	240 Series	360 Series	140 Series	280 Series
Front	-	1.71	2	5	50.	=
Тор	•	•				•
Rear	(0)		=	÷	•	-
Right	•	•	٠	•	•	٠
Bottom	170	.7	2	-	.7	-




## Fan Support List

## Fan Compatibility List

	120mm	140mm	200mm
Front	3	3	2
Тор	3	3	2
Rear	1	1	
Bottom	2	2	-

## Thermaltake Compatible Fan

	120mm	140mm	200mm
PURE FAN Series	٠	•	•
LUNA FAN Series	•	•	•
Riing FAN Series	•	•	•



7

# Additional Information

Brand	Thermaltake
SKU	CA-1O2-00F9WN-00
Weight	45.0000
Color	Black
Chassis Form Factor	Full Tower
Side Panel	Window
Motherboard Support	E-ATX



4/18/24