





Thermaltake Riing Quad 14 RGB Radiator Fan TT Premium Edition Single Fan Pack

\$44.99

Product Images





Short Description

Thermaltake Riing Quad radiator fan is designed with 4 independent LED rings totaling 54 LEDs and 16.8 million color combinations. The fan is virtually inaudible when in operation and supports our NeonMaker light editing software and TT RGB PLUS Ecosystem.

*For the single pack version, no cables or controller will be included in the package.

Description

4 LIGHT RINGS AT THE FRONT 54 LEDs IN TOTAL

- 1st Ring 18LEDs
- 2nd Ring 18LEDs
- 3rd Ring 9LEDs
- 4th Ring 9LEDs



NeonMaker Light Editing Software

[NEONMAKER MICROSITE](#)


[DOWNLOAD NEONMAKER](#)

The NeonMaker is a new and innovative approach to adjusting the RGB lighting on the Ring Quad fans, allowing users to customize lighting profiles and orchestrate their own light shows. Personalize the Ring Quad fans with NeonMaker!

[BUILT-IN EFFECTS AND ARCHIVING](#)

[CUSTOM COLOR](#)


[TIMELINE](#)



Immerse yourself with 100's of Downloadable Profiles by Creators from around the world.

[EVENT INFO](#)

[DOWNLOAD PROFILES](#)



SET UP YOUR SPECTACULAR LIGHTING

[LEARN MORE ABOUT NEONMAKER](#)

Create fascinating lighting effects with our NeonMaker Light Editing Software, energize your PC with dynamic RGB lighting across your build.

*For the single pack version, no cables or controller will be included in the package.


[View the light show](#)

Light Mode : Motion



Hydraulic Bearing with Low-Noise Design

The hydraulic bearing self-lubricates with a high-quality, friction-reducing substance, which lowers operation noise while improving thermal efficiency. The seal cap prevents lubricant leakage and extends the lifespan of the unit.



Fan Speed(standard)	1327 RPM
Noise Level (standard)	4 dBA
Fan Speed(w/ Low Noise Mode)	377 RPM
Noise Level(w/ Low Noise Mode)	4 dBA



PWM Controlled Fan with 9-Fan Blade Design

Ring Quad's PWM controlled fan is designed with 9 blades and is engineered to generate higher airflow without compromising on ultra-quiet operation.

Note:
 *It is recommended to connect up to 1 controller and 5 Ring Quad fans on one peripheral cable(Molex)only.
 *DO NOT connect Ring Quad fans to other TT RGB PLUS controllers.

Extraordinary Cooling Performance

A specially designed fan blade allows even stronger flow, the Ring Quad fans ensure the cooling performance more efficient under intense operation.

Ring Quad 14 - 60.17 cfm / 500-1400rpm / 1.71 mm-H2O
 Ring Quad 12 - 40.9 cfm / 500-1500rpm / 1.4 mm-H2O



Anti-Vibration Mounting System

The in-mold injection anti-vibration rubber pads allow the fan to spin at higher levels without compromising noise levels. The fan is designed with 80% coverage for all corners, maintaining low noise levels when in operation.

TT RGB PLUS Ecosystem

Light up your system with almost limitless possibilities and synchronize your TT RGB PLUS compatible products (CPU/VGA water blocks, AIO CPU coolers, PSUs, LED strips, gaming keyboards, headsets, mice and mouse pads) to create a RGB ecosystem that is truly unique to you.

[LEARN MORE](#)



Specifications

More Information

	CL-F089-PL14SW-C
	140 x 140 x 25 mm
	USB 2.0 connectors (9 Pin)
	Windows 7 / 8 / 8.1 / 10
	9.0 V
	12 V & 5V
	12V- 0.09 A , 5v – 0.9A (Fan x1)
	12V – 1.08 W . 5V – 4.5 W (Fan x1)
	500 ~ 1500 R.P.M
	1.4 mm-H2O
	60.9 CFM
	26 dB-A
	Hydraulic Bearing
	40,000 hrs,25°C
	238 g (Fan*1)

TT RGB PLUS Software



2.0 - New version of Thermaltake's TT RGB PLUS patented software, providing more lighting effects and PC monitoring functions.

1.0 - Thermaltake's patented software to synchronize TT RGB PLUS products with addressable LEDs.

Caution: TT RGB PLUS 2.0 and TT RGB PLUS 1.0 will overwrite one another; users can only install one version of TT RGB PLUS.

[2.0 DOWNLOAD NOW](#)

[2.0 USER MANUAL](#)

[1.0 DOWNLOAD NOW](#)

[1.0 LEARN MORE](#)

NeonMaker



The NeonMaker is a new and innovative approach to adjusting the RGB lighting on the some of our products, allowing users to customize lighting profiles and orchestrate their own light shows.

Personalize Riing Quad Fans, Riing Trio Fans, Distro Case, Floe DX RGB AIO, and TOUGHGRAM RGB with NeonMaker!

[NEONMAKER MICROSITE](#)

[DOWNLOAD NEONMAKER](#)

Sync with Razer Chroma Lighting



All Thermaltake TT RGB PLUS products are able to connect into the Razer Chroma ecosystem, Razer Synapse 3. Users can experience synchronized gaming and RGB lighting effects on their TT RGB PLUS liquid cooling system and Razer gaming gear!

[LEARN MORE](#)

Thermaltake ARTT App



ARTT App allows users to demonstrate TT product details through AR technology.



Download on the
App Store



ANDROID APP ON
Google play

Works with Amazon Alexa



All Thermaltake TT RGB PLUS products support Amazon Alexa Voice Service, allowing you to give voice commands to the Alexa-enabled devices.

[LEARN MORE](#)

TT AI Voice Control



Give you full control over the TT RGB PLUS products with your voice. "SyncALL, Say"Hello TT".



Download on the
App Store



ANDROID APP ON
Google play

Note: TT AI Voice control, Razer Chroma and Amazon Alexa requires the use of at least one TT RGB PLUS software-enabled product to function.

Additional Information

Brand	Thermaltake
SKU	CL-F089-PL14SW-C
Weight	0.5000
Color	Black
Fan Dimensions	140mm
Fan Width	25mm
Fan Connection	USB
Fan Voltage	12 VDC
Fan RPM	1500
Fan CFM	60
Fan Noise (dB)	26
LED Color	Addressable/Digital RGB

