

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com







Watch Our YouTube

\$14.99





Follow Us Twitter

SilverStone TP04 Aluminum alloy M.2 SSD coolingkit

Product Images
























Description






Aluminum alloy heatsink increases M.2 SSD cooling area



Supports 2280 length M.2 SSD



Features

- Aluminum alloy heatsink increases M.2 SSD cooling area
- Efficient heat conduction pad for reducing temperature
- Double layer design enhances SSD cooling for stability and efficiency
- Supports 2280 length M.2 SSD
- Easy to install with included thermal pads and cover without damaging M.2 SSD

Specifications

SPECIFICATIONS

Model No.	SST-TP04T
Color	Titanium grey
Material	Aluminum, stainless steel
M.2 length support	2280 (22mm x 80mm)
Thermal pad thickness	1.0mm 1.5mm
Thermal conductivity	1.5W/m.k
Net Weight and dimension	Gross weight: 70mm (W) x 13.4mm (H) x 22.8mm (D), 40g Blue pad 1: 70mm (W) x 1.5mm (H) x 20mm (D), 3.25g Blue pad 2: 70mm (W) X 1mm (H) X 20mm (D), 2.8g

Remark:

5

^{*} Includes two blue colored thermal pads with different thickness. For single sided M.2 SSD (flat back without component), please use 1.5mm thick pad; for double sided M.2 SSD (both sides with components), please use 1mm thick pad.

^{**} If the M.2 slot on the motherboard is situated next to a PCIe slot, the height of the TP04 's heat sink may interfere with graphic card or expansion card installation, we recommended installing TP04 onto other available M.2 slots on the motherboard to avoid interference issue.

Additional Information

Brand	SilverStone Technology
SKU	SST-TP04T
Weight	0.3000
Color	Black
Storage Type	M.2 SSD
Storage Form Factor	M.2 2280
Material	Aluminum



6 4/9/24