

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter









EVGA SuperNOVA 750 GA, 80 Plus Gold 850W, Fully Modular Power Supply

\$109.99

Product Images













Short Description

Introducing the EVGA Supernova ga series of power supplies - the newest addition to the outstanding line of EVGA power supplies. Featuring 80 Plus Gold certification, 100% Japanese capacitors, a durable double-ball bearing fan, and a fully modular design, this power supply is built for long-term usage and durability. Building upon EVGA line of 80 Plus Gold rated power supplies, the EVGA GA series combines all these features at a great price.

Description

Introducing the EVGA Supernova ga series of power supplies - the newest addition to the outstanding line of EVGA power supplies. Featuring 80 Plus Gold certification, 100% Japanese capacitors, a durable double-ball bearing fan, and a fully modular design, this power supply is built for long-term usage and durability. Building upon EVGA line of 80 Plus Gold rated power supplies, the EVGA GA series combines all these features at a great price.





Features

- 80 plus Gold certified, with 90% efficiency or higher under typical loads
- Fully modular to reduce clutter and improve airflow
- 100% Japanese capacitors, LLC resonant circuit design +DC-DC converter design to improve 3.3V./ 5V. Stability
- Double ball Bearing fan and EVGA eco mode for exceptional reliability and quiet operation
- 10 year limited Warranty and unparalleled EVGA Customer Support
- ATX12V
- Full Modular
- 80 PLUS GOLD Certified
- 100 240 V 50/60 Hz
- +3.3V@20A, +5V@20A, +12V@70.8A, -12V@0.3A, +5VSB@3A
- Output Power: 750 WLimited Warranty: 10 Year
- Product Family: SuperNOVA
- Efficiency: 92%TAA Compliant: Yes

Specifications

CABLE LENGTH

ATX Cable 1x 600mm (m)

EPS Cable 2x 700mm (m)

PCIe Cable 2x 700mm (m), 2x 700mm, 850mm (m)

SATA Cable 3x 550mm, 650mm, 750mm (m)

Four-Pin Peripheral Cable 1x 550mm, 650mm, 750mm, 850mm (m)

3

Floppy Adapter 1x Molex to FDD Adapter

AC Power 1x 1500mm (m)

Modular Cable Type Full

Molex to FDD 1x

CONNECTOR QUANTITY

24 Pin ATX 1x

EPS (CPU) 2x 8pin(4+4)

PCle 6x 8pin(6+2)

SATA 9x

Four-Pin Peripheral 4x

Floppy 1x

POWER SPECS

AC Input 100-240 VAC, 9-4.5A, 50/60 Hz

Rail +3.3V +5V +12V +5Vsb -12V

62.5A

20A 20A

3.0A

0.3A

Max Output

750W

120W 750W 15W 3.6W

Total 750W@50°C

ADDITIONAL DETAILS

Operating Temperature 0° to 50° C

Japanese Capacitors 100%

ECO Mode Yes

MTBF 100,000 Hours

Gross Weight 6.59 lbs

Size 86mm (H) x 150mm (W) x 150mm (L)

Approvals

TUV, CB, CE, FCC, RCM, cTUVus, CCC, WEEE, RoHS
Compliance with ErP Lot 3 2014 Requirement

Additional Information

Brand	EVGA
SKU	220-GA-0750-X1
Weight	9.0000
Color	Black
PSU Type	ATX
PSU Style	Modular
PSU Wattage	750W
PSU Efficiency	80 PLUS Gold

