




Bitspower Digital Leak Detector

\$42.50

Product Images



Short Description

Bitspower Digital Leak Detector

The Bitspower Digital Leak Detector features a digital pressure gauge and air pump, and offers a fast and safe way to test whether there is leakage in your water cooling system.

Description

Bitspower Digital Leak Detector

The Bitspower Digital Leak Detector features a digital pressure gauge and air pump, and offers a fast and safe way to test whether there is leakage in your water cooling system. Before filling with water, just install the digital leak detector into your water cooling system, pressurize the system with an air pump, and keep the system in a closed state. If the pressure is kept constant, there is no leakage.

The main body is an aluminum gas pump with a digital screen. One end is equipped with a rotatable male 1/4" connecting port, so it can be attached directly to any standard port in your water cooling system.

The pressure of the system is displayed on the digital screen, and users can make sure that no air escapes through the tester. However, in order to achieve the best result, Bitspower recommends that you reach the test pressure you want and keep the system still for at least 5 minutes. If there is no pressure drop, your cooling system should be able to operate safely.

To prevent damage to your water cooling system, please read the user's manual before using the Bitspower Digital Leak Detector.

Specifications

	Specifications
Pressure unit	PSI, kPa, bar, kg/cm2.
Battery type	CR1220 3V lithium battery.
Detection resolution	1PSI, 1kPa, 0.01bar, 0.01kg/cm2
Detection range	< 80PSI

*** Bitspower reserves the right to change the product design and interpretations. These are subject to change without notice. Product colors and accessories are based on the actual product. ***

*** From 15th March 2018, all of our installation guides will be provided electronically via an easy-to-use QR code attached to the packaging. ***

*** Before filling in the water, please make sure all the components are installed correctly. To prevent any leakage which may damage the PC components, please perform a 24-hour leaking test with only the pump connected to the power supply. ***

*** When using the leak tester on a water cooling loop, in order to avoid product damage due to excessive pressure, the input pressure should not exceed 0.5kg/cm2 (bar), and do not over 30 second. The leak tester must not be used when there is water in the loop or when the pump is running. If the product is damaged due to excessive pressure or incorrect use, Bitspower's product warranty will be null and void, and the cost of any damage to the hardware will be borne by the customer. ***

Additional Information

Brand	Bitspower
SKU	BPTA-DLDR
Weight	3.0000
Color	Black
Msc Watercool	Leak Detector
Vendor SKU/EAN	4712914788160

