



# Alphacool EPDM Tube 13/10 - Black 1m (3,28ft) Retailbox

\$8.95

## Product Images



## Short Description

The EPDM tube from Alphacool's Enterprise Solutions series is characterised by its high resistance to acids, alkalis and external influences and has exceptional longevity compared to conventional PVC tubes.

## Description

The EPDM tube from Alphacool's Enterprise Solutions series is characterized by its high resistance to acids, bases and external influences and has an exceptional durability compared to conventional PVC tubes. The matt black hose with its subtle velvet look will quickly become an eye-catcher in any water-cooled PC.

What is the advantage of EPDM?

Compared to commercially available PVC hoses, Alphacool's EPDM tube is significantly more temperature-resistant and enables working temperatures well in excess of 100 °C. Even at higher water temperatures, the EPDM tube remains dimensionally stable and prevents the tube from warping in places with tighter bending radii or connections. This eliminates the risk of the water circuit leaking or the water flow being obstructed. The high resistance to external influences makes the Alphacool EPDM hose extremely durable and long-lasting.

Installation

The Alphacool EPDM Tube is somewhat more dimensionally stable compared to a PVC tube. Nevertheless, it has excellent pliability and flexibility for effortless assembly even with tighter bending radii.

Connectors The EPDM hose can be used with any hose connector (of the appropriate size) from Alphacool's Icicle or HF series.

## Specifications

Technical data	
Length	1m
Material tube	Ethylene propylene diene rubber (EPDM, without talc)
Color	matt black
Tube size	Ø outside 13 mm / Ø inside 10 mm (tolerances according to DIN ISO 33-02-1 E1)
Hardness grade	80° (± 5°) Shore A
Working temperature	-35° C bis +120° C

## Additional Information

Brand	Alphacool
SKU	AC-18662
Weight	1.5000
Color	Black
Tube Type	EPDM
Tube Size	3/8" x 5/8" (10mm x 16mm)
Material	EPDM
Delivery	Retail Box
Vendor SKU/EAN	4250197186629

