

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com







Watch Our YouTube



Alphacool NexXxoS ST20 HPE Full Copper 280mm Radiator

\$93.95

Product Images







Short Description

For more than a decade, Alphacool has dominated the market with the NexXxoS Full Copper radiator series. Our extensive portfolio of radiator variants is unique in the world. Just like our manufacturing process, which allows us to produce all water-carrying parts and the cooling fins out of pure copper. As a result, the NexXxoS series offers the highest thermal conductivity of any radiator on the market. Thanks to their exceptional performance, the radiators can easily dissipate even extremely high waste heat and have become essential in many areas of the cooling industry.

Description

The next step in evolution: NexXxoS HPE Full Copper Radiator!

The NexXxos Full Copper HPE Radiator uses the same materials as previous NexXxos models, but takes it a step further technically. Due to the condensed internal structure, the number of water channels and copper fins could be increased. Thus, a larger volume of water is in direct contact with the cooling fins and the heat transfer is enormously improved. The higher number of fin rows and their shortening also makes much more efficient use of the cooling surface. Comparison tests with the conventional NexXxos radiator have shown that a performance increase of 4.5K is possible when using the HPE radiator. At higher ambient temperatures and higher fan speeds, the performance gap with the normal NexXxoS radiators even increases

progressively, reaching a possible performance increase of up to 6K.

Space-saving & flexible to use

The compact slim radiators can be mounted very flexibly in even the tightest cases thanks to their low overall height of only 20mm.

Connection options & mounting

The NexXxoS HPE radiator has one IN and OUT connection with G1/4" threads in the pre-chamber area. All screws for mounting in the case and for mounting the fans are included with the radiator. Additional screws are not usually required.

Safety first

The NexXxoS HPE radiator has special protective plates placed under all mounting holes to prevent the screws from being screwed in too deeply. This protects the cooling fins and water channels underneath from damage.

Specifications

Technical data radiator	
LxWxH	311 x 140 x 20mm
Material cooling fins, pre-chambers & channels	copper
Material threads	brass
Material outer housing	stainless steel
Threads	2x G1/4" IN/OUT (max. 5mm thread length)
Possible fan size	140mm
Possible fan assembly	2x one-sided / 4x both-sided
Thread size fan mounting	M3
Pressure tested	0,8 Bar
Maximum working temperature	60°C
Fin density	19 FPI
Weight	569g
Color	black

Color:

black

Manufacturer: Alphacool

Radiator fins material: Copper

Cooling channels: Copper

Fan mounting thread: M3

Case: Steel

Number of fans: 2, 4

Fan size: 140mm

Pressure tested: 0,8 Bar

Fins per inch: 19

Connector: 2x G1/4"

Thickness: 0 - 29mm

Dimensions (L x B x H): 311 x 140 x 20mm

Note on application

Please use only in conjunction with clear transparent water cooling fluids. The particles and additives in Pastel liquids can clog and permanently damage water cooling products such as radiators, pumps, coolers and hoses. This can result in voiding the manufacturer's warranty as well.

Additional Information

Brand	Alphacool
SKU	AC-14444
Weight	2.5000
Color	Black
Radiator Size	280 (2 x 140mm)
Radiator Thickness	20mm
Vendor SKU/EAN	4250197144445

