

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











Alphacool Apex 17W/mK Thermal grease 4g

\$17.95

Product Images







Short Description

The Alphacool Apex Thermal Grease is intended for all users who want to achieve the optimum performance with their system. With a thermal conductivity of 17 W/mK, this electrically non-conductive thermal paste suitable for high contact pressures is clearly the favorite when performance and ease of application are required.

Description

The Alphacool Apex Thermal Grease is intended for all users who want to achieve the optimum performance

with their system. With a thermal conductivity of 17 W/mK, this electrically non-conductive thermal paste suitable for high contact pressures is clearly the favorite when performance and ease of application are required.

Features

Application

Apex 17W/mK Thermal Grease can be optimally applied due to its high viscosity. For perfect application of the thermal paste, a plastic spatula (not included) or a comparable tool should be used.

Properties

Alphacool's Apex Thermal Grease has an extremely high thermal conductivity of 17 W/mK, making it one of the best performing thermal pastes on the market. Only liquid metal thermal pastes offer better thermal conductivity. The Apex Thermal Grease is delivered in a 4g applicator with screw cap. The amount of thermal paste is sufficient for several applications and can be stored in the applicator protected from drying out. In addition, Apex Thermal Grease is non-conductive and non-caustic. If a small amount of paste is spilled during application, damage to the hardware is highly unlikely.

Specifications

Technical data

Thermal conductivity 17 W/mk

Volatilization Rate (24H@200°C)% less than 0.5

Density (g/cc) 3.5 (Test method ASTM D792)

Viscosity (mPa.s) 35~220*103 (Test method ASTM D2196)

Continuous Using Temperature (°C) -40°C to 120°C

Thermal Impedance (°C in 2/W) 0.10 +/- 0.1 (Test method ASTM D5470)

Max. working pressure (psi) 40

Color gray

Quantity 4g

Technical details

Manufacturer: Alphacool

Thermal conductivity: 17W/mk

Color: grey

Content: 4g

Viscosity: 35~220*103

Density: 3,5 g/cm³

Additional Information

Brand	Alphacool
SKU	AC-13036
Weight	0.1000
Color	Gray
TIM Type	Paste
Vendor SKU/EAN	4250197130363

