


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





Follow Us Twitter







# Rajintek ACHERON 360 D5 RBW

\$209.97 was \$299.95

### **Product Images**

















### **Short Description**

RAIJINTEK'S NEW ACHERON series Distro-Plate, integrated a Unique rainbow A-RGB ( 5V Addressable) LED light cap.

### Description









#### **Features**







## Specifications





| Market State of the State of th | ACHERON 360 EVO                         | Addressable<br>LED     | 21 pcs LED Rainbow (4pin<br>header, 2510 spec) –<br>Addressable LED  |             |
|--|---|------------------------|--|-------------|
|  | 0R40B00196                              |                        |  |             |
| CONT. 2 (2000) 2 (2000) 2000 (2000)  | 120*360*96mm                            |                        |  | F 1         |
|  | Aluminum + PMMA (Crystal clear)         | LED Control<br>Method  | Motherboard control / Remote control (by using Raijintek control hub)  |             |
| Weight (g)   | 1910g                                   |                        |  |             |
| Coolant capacity   | 220 ml                                  | LED !                  | Controllady  |             |
| Screw Threads  | G 1/4"                                  | LED Input<br>Connector | 4-PIN header (2.5 Crimp)   |             |
| Bearing type   | Ceramic Bearing                         |                        |  |             |
| Maximum Head   | 4m                                      | LED Voltage<br>Rating  | 5V   |             |
| Maximum<br>Discharge   | 1500 L/H                                | LED Lighting<br>Mode   | By MB software or 20 Lighting<br>MODE & 7 different static color<br>choices by Raijintek's 5V ADD<br>control hub |             |
| Maximum Pressure   | 50 PSI                                  |                        |  |             |
| Life Expectance  | 50,000 hrs                              |                        |  |             |
| Noise Level  | 30 dBA [Max.]                           |                        |  | ·           |
| Speed  | P1: 1,800 RPM<br>P2: 2,500 RPM          | EAN Code               | 4715109923179  |             |
|  | P3:3,300 RPM<br>P4:4,000 RPM            | UPC Code               | 849939003177   |             |
|  | P5 : 4,800 RPM                          |                        |  |             |
| Voltage Rating   | DC12V                                   |                        |  | @RAIJINTEK  |
| Input Current  | 1.8 A ± 10%                             |                        | 1  | SAMDILLEK . |
| Lonnector  | 2606-H-03P [-12V/+12V] /<br>SATA header |                        |  |             |

| Product Name                 | ACHERON 360 RBW                 | ACHERON 360 D5 EVO RBW          |
|------------------------------|---------------------------------|---------------------------------|
| Product Number               | OR40B00195                      | 0R40B00196                      |
| Dimension [W×H×D]            | 120×360×34 mm                   | 120×360×96 mm                   |
| Weight [Block+Pump+Radiator] | 1475g                           | 1910g                           |
| Material                     | Aluminum + PMMA (Crystal clear) | Aluminum + PMMA (Crystal clear) |
| Coolant Capacity             | 220ml                           | 220ml                           |
| Screw Threads                | G 1/4"                          | G 1/4"                          |

| LED             |   |
|-----------------|---|
| Addressable LED | 21 pcs LED Rainbow (4pin header, 2510 spec) – Addressable LED   |
| Control Method  | Motherboard control / Remote control (by using Raijintek control hub)                                   |
| Input Connector | 4-PIN header (2.5 Crimp)  |
| Voltage Rating  | 5V  |
| Lighting Mode   | By MB software or 20 Lighting MODE & 7 different static color choices by Raijintek's 5V ADD control hub |

| PUMP              |  |
|-------------------|--|
| Bearing type      | Ceramic Bearing  |
| Maximum Head      | 4 meter  |
| Maximum Discharge | 1500 L/H   |
| Maximum Pressure  | 50 PSI   |
| Life Expectance   | 50,000 hrs   |
| Noise Level       | 30 dBA [Max.]  |
| Speed             | P1:1,800 RPM P2:2,500 RPM P3:3,300 RPM P4:4,000 RPM P5:4,800 RPM |
| Voltage Rating    | DC12V  |
| Input Current     | 1.8A ±10%  |
| Connector         | 2606-H-03P [-12V/+12V] /□SATA header                             |

#### Contents:

- ACHERON 360 × 1
- Mounting Clip × 2
- M4 Metal nut × 4
- #6-32 L31.75mm Screw × 4
- #6-32 L6mm Screw × 4
- M4 L8mm Screw × 8

### Additional Information

| Brand          | Raijintek          |
|----------------|--------------------|
| SKU            | RJK-0R40B00196     |
| Weight         | 5.0000             |
| Color          | Clear              |
| Reservoir Type | Distribution plate |
| Pump Type      | Laing D5           |
| Special Price  | \$209.97           |



9