




Raijintek ANEMI 20 RBW (200mm ARGB PWM fan)

Special Price
\$11.87 was
\$16.95

Product Images





Short Description

RAIJINTEK ANEMI 20cm Rainbow ADD RGB fan, continues company's innovative design and providing advanced features the first 20cm fan contain outer ring LED + inner ring LED.

Description

ANEMI 20 RBW

Mega Airflow 20cm Fan



 **RAIJINTEK**

INTRODUCTION

RAIJINTEK ANEMI 20 CM Rainbow ADD RGB fan, continues company's innovative design and providing advanced features the first 20cm fan contain outer ring LED + inner ring LED. With Full O-type LED ring 42pcs LEDs in total [32pcs LEDs (outer) + 10pcs LEDs (inner)] to brings visible color and brightness uniformity from all directions. With Raijintek's 's 8 port ADD LED hub and remote controller, you can set your ANEMI RBW ADD fans to stun with fading, breathing, blinking and single color LED modes. The ANEMI fan optimized eleven fan blade design to provide Ultra high-volume air delivery with less noise and turbulence, Hydraulic Bearing with Low-Noise Design, and Anti-Vibration rubber pads on all corners. ANEMI is not only insuring your case to be the center of attraction and a spot light to chassis, with optimized Ultra intake fan blade and housing design also provide outstanding air flow and cooling performance for your PC.





EVOKE YOUR
PASSION.


Features

ANEMI 20 RBW (ADDressable)



5V ADD Header Compatible

- Rainbow ADD with fading, breathing, blinking and single color LED modes
- Ultra high-volume air delivery
- O-type LED brings visible color & brightness uniformity from all direction
- Anti-vibration rubber pads on all corners to minimize movement and noise
- Optimized Eleven fan blade design to provide high-volume air flow
- Specific housing design to provide max. Air flow
- PWM function to provide best efficiency for CPU cooling
- Individually controlled ADD LED lighting
- Choose a theme that matches your build & customization
- 42pcs LEDs to provide vivid illumination
- Quite performance, less turbulence and reliable operation
- Easy installation



Specifications

| SPECIFICATION | |
|-------------------|-------------------------|
| Product Name | ANEMI 20 RBW |
| Product Number | OR40B00173 |
| Dimension [W×H×D] | 200×200×30 mm |
| Weight | 290 g |
| Voltage Rating | 12V |
| Starting Voltage | 5V |
| Speed | 1000±10% R.P.M. |
| Bearing Type | Sleeve Bearing |
| Air Flow | 110.38 CFM [Max.] |
| Air Pressure | 1.13 mmH2O [Max.] |
| Life Expectance | 40,000 hrs |
| Noise Level | 32.32 dBA [Max.] |
| Connector | PWM 4 pin; 5V ADD 4 pin |
| Rated Current | 0.12A ±10% |
| Power consumption | 1.44W ±10% |
| ADDRESSABLE LED | 42pcs LEDs, 5V |
| Fan Q'ty | 1 pcs |


5V ADD Header Installation Guide



1-1
+5V ADD RGB header




1-2
Connect 4pin ADD RGB header to Motherboard with +5V ADD RGB header.




1-3
Connect 4pin ADD RGB header to Motherboard +5V ADD RGB header.
Note: 5V HEADER ONLY

PWM 4Pin Header Installation Guide




1-1

4Pin PWM Fan power header



1-2

Connect 4pin PWM fan header to Motherboard .



1-3

Note: 4Pin PWM Fan power header only. Not 5V ADD HEADER.

Remote controller function

- 1.On/off: Power on/off
- 2.SPEED (+): While Dynamic color mode, increase the speed of color change; Not for Static mode
- 3.SPEED (-): While Dynamic color mode, decrease the speed of color change; Not for Static mode
- 4.MODE (+): Forward to next mode
- 5.MODE (-): Backward to previous mode
- 6.AUTO: Automatically cycles all modes, 10 seconds for each mode
- 7.W: Single White LED
- 8.R: Single Red LED
- 9.G: Single Green LED
- 10.B: Single Blue LED

Rainbow RGB

- 20 modes: 13 Dynamic color modes & 7 Static color modes
- Memory function: While power on, the mode and speed are at previous status
- Voltage rating: 12V
- Connecting 6 fans will get best effect for Dynamic modes

Color Modes

- Mode 1: Dynamic 6 colors rotating with transition effect
- Mode 2: Dynamic lighting rotation to each other with transition effect
- Mode 3: Dynamic 6 colors rotating without transition effect
- Mode 4: Dynamic 7 colors switch by water-flow rotating with low brightness effect on background color
- Mode 5: Dynamic 7 single colors switch by water-flow effect
- Mode 6: Dynamic 7 shinning colors switch by water-flow effect
- Mode 7: Dynamic 7 colors switch by water-flow rotating with covering background color effect
- Mode 8-13: Dynamic 7 colors by water-flow rotating
- Mode 14-20: Static single LED color

Additional Information

| | |
|----------------|-------------------------|
| Brand | Raijintek |
| SKU | RJK-0R40B00173 |
| Weight | 1.0000 |
| Color | Black |
| Fan Dimensions | 200mm |
| Fan Width | 30mm |
| Fan Connection | 4-Pin PWM |
| Fan Voltage | 12 VDC |
| Fan RPM | 1000 |
| Fan Noise (dB) | 32 |
| LED Color | Addressable/Digital RGB |
| Special Price | \$11.87 |

