



Raijintek RJK ARGB-PWM CONTROL SET

Special Price
\$9.07 was
\$12.95

Product Images





Short Description

RAIJINTEK's ARGB-PWM CONTROL SET, a control hub of 5V ARGB & PWM function, it provides you to take full control of your system's ARGB light effect and PWM function. ARGB-PWM control set comes with a connecting cable to M/B (connecting to 5V ARGB header and 4pin PWM header, synchronized with M/B software, and a remote controller with 20 pre-set color modes and 7 different static colors option, for those who doesn't have an Addressable RGB motherboard in hand.

Description

RJK ARGB-PWM Control set



Introduction

RAIJINTEK ARGB-PWM CONTROL SET, a control hub of 5V ARGB & PWM function, it provides you to take full control of your system's ARGB light effect and PWM function. ARGB-PWM control set comes with a connecting cable to M/B (connecting to 5V ARGB header and 4pin PWM header, synchronized with M/B software, and a remote controller with 20 pre-set color modes and 7 different static colors option, for those who doesn't have an Addressable RGB motherboard in hand. You can control ARGB function either by Remote controller or by motherboard Sync mode (connecting to 5V ARGB header & PWM 4pin header on MB)

ARGB-PWM Control set is the best and user friendly control hub at market. Total package come with a Control hub, a remote controller, a 500mm connecting cable and Super Magnetic pad.



Features

Controller Hub

PWM ports



PWM Ports on Hub:
For PWM 4pin (2510) header

SATA Power cable

*For more details, please refer to the manual or website

*For more details, please refer to the manual or website

Controller Hub

5V ARGB ports




5V ARGB ports on control Hub:
For Raijintek's 5V ADD-RBW product line

Connecting to M/B

- Connect to 5V ARGB (ADD) Header on M/B
- Connect to PWM 4pin Header on M/B

Connecting to M/B

- 5V ADD header
- PWM 4Pin header



Specifications

REMOTE CONTROLLER

Button function

- ◆ On/off: Power on/off
- ◆ SPEED (+): While Dynamic color mode, increase speed of color change; Not for Static mode
- ◆ SPEED (-): While Dynamic color mode, decrease speed of color change; Not for Static mode
- ◆ MODE (+): Forward to next mode
- ◆ MODE (-): Backward to previous mode
- ◆ AUTO: Automatically to mode 18
- ◆ W: Single White LED
- ◆ R: Single Red LED
- ◆ G: Single Green LED
- ◆ B: Single Blue LED



Modes introduction

- ◆ Mode 1-7: Static single LED color, Red/Green/Blue/Yellow/Purple/Bluegreen/White
- ◆ Mode 8-14: Breathing single LED color, Red/Green/Blue/Yellow/Purple/Bluegreen/White
- ◆ Mode 15: Dynamic 7 single colors switch by breathing effect
- ◆ Mode 16: Dynamic 7 colors switch
- ◆ Mode 17: Dynamic 7 colors switch at 1 second gap by shining effect
- ◆ Mode 18: Dynamic 7 colors switch by low to high brightness effect
- ◆ Mode 19: Light off.

COMPATIBLE PRODUCT LIST



AIO: ORCUS RBW 120/140/240/280/360, EOS 240 RBW / 360 RBW

Water Cooling DIY kit: PHORCYS EVO CD240/CD360 ; PRO CA240 /CA360

Fan: IRIS 12 RBW ADD, SKLERA 12 RBW, IRIS 14 RBW ADD

CPU Cooler: Delos RBW, MYA RBW

Liquid DIY: ANTILA D5 RBW / D5 EVO RBW ; Gyges 240 RBW, TEOS 240 RBW

FOS ADD cable: 24P ; 8+8P

Additional Information

Brand	Raijintek
SKU	RJK-0R40B00186
Weight	1.0000
Color	Black
LED Color	Addressable/Digital RGB
Special Price	\$9.07

