



# Koolance Nozzle Single, 1/2" (13mm) G1/4 Threaded

Special Price  
**\$3.99** was  
**\$4.99**

## Product Images



## Short Description

Single 1/2" (13mm) ID, 5/8" (16mm) OD, G 1/4" threaded nozzle for Koolance components with replaceable nozzles. Nickel-plated brass with compression fitting and gasket.

## Description

---

Single 1/2" (13mm) ID, 5/8" (16mm) OD, G 1/4" threaded nozzle for Koolance components with replaceable nozzles. Nickel-plated brass with compression fitting and gasket.

## Features

---

\*NOTE: Liquid Coolants Koolance's product warranty does not cover the use of 3rd-party coolants, coolant additives, or corrosion. Koolance LIQ-702 or LIQ-705 coolants are strongly recommended to help avoid issues with mixed metals or biological growth. Additionally, do not use aluminum with bare (unplated) copper or bare (unplated) brass in the same system. Do not use silver with nickel in the same system.\*

## Additional Information

---

Brand	Koolance
SKU	NZL-V13-D
Weight	0.3000
Special Order	No
Fitting Type	Compression
Fitting Size	1/2"
Fitting Angle	Straight
Vendor SKU/EAN	829596906417
Special Price	\$3.99

