



Bykski 360mm x 30mm RC Series Radiator, 120mm x 3, Triple Fan - Black (CR- RD360RC-TN-V2-BK)


\$86.95

Product Images



By All Means Use The Radiator Screws That Come With The Matching Radiator

Can Be Used With 12cm Fan, Please Be Sure To Use The Radiator Screws That Come With The Matching Radiator To Fix, So As To Avoid Using Too Long Screw, Screw Damage Radiator Core, Make It Useless.




⚠ If the screw used is too long! Screws can damage the radiator core and render it useless.

✓ Screw length of appropriate! Screw will not damage radiator core, smooth operating normally


1 INSTALLATION

1. The Fixed Position Of Water Pump In Different Cases Is Different, But The Installation Method Is Similar.
2. Please Choose The Appropriate Size According To The Space Of The Computer Before Installation To Ensure The Safety Of The Installation Process And Prevent Any Possible Damage To The Equipment.





2 INSTALLATION

1. The Fixed Position Of Water Pump In Different Cases Is Different, But The Installation Method Is Similar.
2. Please Choose The Appropriate Size According To The Space Of The Computer Before Installation To Ensure The Safety Of The Installation Process And Prevent Any Possible Damage To The Equipment.



3 INSTALLATION

1. The Fixed Position Of Water Pump In Different Cases Is Different, But The Installation Method Is Similar.
2. Please Choose The Appropriate Size According To The Space Of The Computer Before Installation To Ensure The Safety Of The Installation Process And Prevent Any Possible Damage To The Equipment.



Short Description

Bykski CR-RD360RC-TN-V2 radiator is designed as a single row of copper channels. The thickness of the radiator is 30mm which allows this radiator to be mounted in smaller profile locations. The water channels

and wave fins are made of red copper with a thermal conductivity up to 401 w/(M.K.). There are 14 water channels aligned in a single row.

Description

Bykski CR-RD360RC-TN-V2 radiator is designed as a single row of copper channels. The thickness of the radiator is 30mm which allows this radiator to be mounted in smaller profile locations. The water channels and wave fins are made of red copper with a thermal conductivity up to 401 w/(M.K.). There are 14 water channels aligned in a single row.

Features

Features

- 14 Channel Design
- Industry Standard G1/4 Thread
- High Quality Copper Design

Specifications

Specifications

- Material: Red Copper / Iron side plates (not in contact with coolant)
- Dimensions: 395.5mm x 122mm x 30mm
- Ports: 2
- Port Thread: G 1/4
- Mount Thread: M3
- Channels: 14
- Pressure: 1.5bar
- Weight: 0.85 Kg
- Fin Density: 14FPI

Compatibility

- Fans: 120mm

Included Parts

- 1x Radiator
- 12x M3 x 30mm Mounting Hardware

Warnings

Radiator is formed by a high temperature integrated soldering process. Due to this, there will be a slight color change in the copper, this is a result of the process not rust.

Please pay attention to the length of the screw. If the screw is too long, it will break through the radiator and

cause water leakage, voiding warranty. Radiator comes with M3X30mm screws suitable for 120mm fans of 25mm thickness. If you want to install a thinner or thicker fan, please use the right length of the screw. (Fan thickness+5mm max, not included)

Not responsible for any hardware damage. Use at your own risk.

Additional Information

Brand	Bykski
SKU	CR-RD360RC-TN-V2-BK
Weight	3.5000
Color	Black
Radiator Size	360 (3 x 120mm)
Radiator Thickness	30mm

