




Solid Wall Polyethylene Grommet Edging with Adhesive - Clear

\$1.29

Product Images



Short Description

Grommet edging protects and prevents wires and cables from chafing against sharp edges. This new grommet edging comes with a pressure sensitive adhesive that lines the base of the product. This provides for an easy, clean and secure application. Apply the product in the normal fashion and then apply thumb pressure to activate the adhesive and the installation is complete.

Description

*** Price is per foot ***

Grommet edging protects and prevents wires and cables from chafing against sharp edges. This new grommet edging comes with a pressure sensitive adhesive that lines the base of the product. This provides for an easy, clean and secure application. Apply the product in the normal fashion and then apply thumb pressure to activate the adhesive and the installation is complete.

- Use to prevent abrasion against the sharp edges of panel walls and knockouts
- Base is lined with a pressure sensitive adhesive
- Available in natural and weather resistant polyethylene
- Use on both straight and irregular shaped surfaces

Features

Features:

- Adhesive lined
- No liner to remove from adhesive
- Polyethylene material
- Slotted or solid wall construction

Benefits:

- Allows for a clean, durable application with minimal dwell time
- Ensures the product will stay where it is installed
- No need for messy adhesives
- Increases productivity
- Lowers total installed costs
- Economical and durable
- Highly flexible
- For inside curves, outside curves and straight paths

Specifications

| | |
|---------------|---------------------------------|
| Product Line: | Grommet Edging - Adhesive Lined |
|---------------|---------------------------------|

| | |
|------------------------------|------------------|
| RoHS Compliancy Status: | Compliant |
| Material: | Polyethylene |
| Color: | Natural or Black |
| Height (In.): | 0.16 |
| Height (mm): | 4.1 |
| Length (ft.): | 100 |
| Width (In.): | 0.13 |
| Width (mm): | 3.3 |
| Flammability Rating: | UL HB |
| Ft. Per Pkg.: | 100 |
| Outside Depth (In.): | .160 |
| Outside Depth (mm): | 4.1 |
| Outside Width (In.): | .131 |
| Outside Width (mm): | 3.3 |
| Panel Thickness Range (In.): | .036 - .062 |
| Panel Thickness Range (mm): | .9 - 1.6 |

Additional Information

| | |
|---------------------|-----------------------|
| SKU | GES-NAT05 |
| Weight | 0.1000 |
| Color | Clear |
| Case Accessory Type | Case Materials |
| Vendor SKU/EAN | GES62F-A-C / 70327053 |

