




Color 5" LCD Video Module (RCA Composite Video) - 12 Volt DC

\$169.95

Product Images



Short Description

This wonderful little screen runs on the 12 Volt power from your computer's power supply unit and displays any composite video signal (RCA) supplied to it. The screen is easy to hook up to any video card with a TV-out plug (S-Video ports will need a plug to convert the connector to a RCA Composite Video Plug). It can also display TV, VCR, DVD or any other video signal that can be converted to a RCA Composite Video Signal.

Description

Product Details:

This wonderful little screen runs on the 12 Volt power from your computer's power supply unit and displays any composite video signal (RCA) supplied to it. The screen is easy to hook up to any video card with a TV-out plug (S-Video ports will need a plug to convert the connector to a RCA Composite Video Plug). It can also display TV, VCR, DVD or any other video signal that can be converted to a RCA Composite Video Signal.

If you use the screen as an extended desktop you can display system stats (like CPU temperature, processor usage and more), music visualizations, DVDs, weather reports, music players, network status visualizations, video streams and more!

The unit can be installed anywhere on the case. You can drill out mounting holes on your case window and mount the unit directly to the window. Or cut out a hole for the screen on the front or top of your case and mount it there - the possibilities are endless!

Grab one of these units and increase your computer's multimedia capabilities!

Please Note: Included cable comes bare wire and can be tailed with Molex and sleeved as an option below.



Features

Features:

- Powered by standard power supply unit
- Uses RCA composite video signal from video card
- Great mod for your case
- Display system stats, DVDs, Visualizations and more!

Specifications

Specifications:

Type:	Color LCD Video Module
Display Screen Size:	5" (127 mm) measuring diagonally
Display Screen Element:	Thin-Film Technology Active Matrix Color Monitor
Input Signal:	NTSC/PAL/Auto Switching
Display Screen Resolution:	960 (H) x 234 (V): 224,640 pixels
Contract Ratio:	150:1
Brightness Rating:	300 Nits
Back Light:	CFT 15.000
Viewing Angle:	55°/55°/15°/35°
Video System NTSC:	FH: 15,750 Hz FV: 60 Hz FC: 3.58 mHz
Power Source:	DC 12V 525 mA, 8W (Max) 4-pin Power Supply Connector
Operation Range:	DC 10V ~ DC 14V
Operating Temperature:	0°C (32°F) ~ 60°C (140°F)
Storage Temperature:	-20°C (-4°F) ~ 80°C (176°F)
Overall Dimensions:	127 mm (W) x 92.5 mm (H) x 32 mm (D) (3 11/16" x 5" x 1 1/8")
Monitor Mounting:	4 Mounting posts on back
Weight:	0.50 lb. (226.8 g)

Additional Information

SKU	TFT5-LCD
Weight	3.0000
Color	Silver
Case Accessory Type	LCD Video Module
Vendor SKU/EAN	736836530687

