



Bitspower Dual G1/4" High Flow Fitting - Male to Male Thread

\$4.99

Product Images



Short Description

Product Details:

The is a G 1/4" threaded male to male fitting. Uses an O-Ring to seal. Large ID bore for high flow and lower pressure drop compared to other fittings. This is perfect for use with Delrin T's and L's. It will screw in to the available port. Using a Delrin 90 degree L an one of these fittings plus one regular barb is perfect for use the lower PCI Express video card in SLI. This keeps the barb from hitting the floor of the case or lower mounted PSU by quickly changing the flow in a 90 degree manner. Learn the name; Bitspower Premium water cooling products!

Features:

- Special Design for PC Water Cooling
- Perfect Surface treatment
- TRUE Hi-Flow
- Hidden O-Ring Design

Specifications:

- Material : Hi Quality Brass with Shiny Silver coating
- Thread : G1/4"

Description

Product Details:

The is a G 1/4" threaded male to male fitting. Uses an O-Ring to seal. Large ID bore for high flow and lower pressure drop compared to other fittings. This is perfect for use with Delrin T's and L's. It will screw in to the available port. Using a Delrin 90 degree L an one of these fittings plus one regular barb is perfect for use the lower PCI Express video card in SLI. This keeps the barb from hitting the floor of the case or lower mounted PSU by quickly changing the flow in a 90 degree manner. Learn the name; Bitspower Premium water cooling products!

Features:

- Special Design for PC Water Cooling
- Perfect Surface treatment
- TRUE Hi-Flow
- Hidden O-Ring Design

Specifications:

- Material : Hi Quality Brass with Shiny Silver coating
- Thread : G1/4"

Additional Information

Brand	Bitspower
SKU	BP-WTP-C08
Weight	0.1000
Special Order	No
Vendor SKU/EAN	4711946740962

